antibodies -online.com





CLIC4 Protein (AA 2-253) (rho-1D4 tag)



Image



Go to Product page

\sim				
	11/6	٦r١	/10	۱۸.

Quantity:	1 mg	
Target:	CLIC4	
Protein Characteristics:	AA 2-253	
Origin:	Human	
Source:	Insect Cells	
Protein Type:	Recombinant	
Purification tag / Conjugate:	This CLIC4 protein is labelled with rho-1D4 tag.	
Application:	SDS-PAGE (SDS), Western Blotting (WB), ELISA, Crystallization (Crys)	
Product Details		

Purification tag / Conjugate:	This CLIC4 protein is labelled with rho-1D4 tag.	
Application:	SDS-PAGE (SDS), Western Blotting (WB), ELISA, Crystallization (Crys)	
Product Details		
Sequence:	ALSMPLNGLK EEDKEPLIEL FVKAGSDGES IGNCPFSQRL FMILWLKGVV FSVTTVDLKR	
	KPADLQNLAP GTHPPFITFN SEVKTDVNKI EEFLEEVLCP PKYLKLSPKH PESNTAGMDI	
	FAKFSAYIKN SRPEANEALE RGLLKTLQKL DEYLNSPLPD EIDENSMEDI KFSTRKFLDG	
	NEMTLADONL LPKLHIVKVV AKKYRNFDIP KEMTGIWRYL TNAYSRDEFT NTCPSDKEVE	
	IAYSDVAKRL TK	
	Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a	
	special request, please contact us.	
Characteristics:	Made in Germany - from design to production - by highly experienced protein experts.	
	Human CLIC4 Protein (raised in Insect Cells) purified by multi-step, protein-specific process	
	to ensure crystallization grade.	
	State-of-the-art algorithm used for plasmid design (Gene synthesis).	
	This protein is a made to order protein and will be made for the first time for your order. Our	

experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Three step purification of membrane proteins expressed in baculovirus infected SF9 insect cells:

- 1. Membrane proteins are fractioned by ultracentrifugation and subsequently solubilized with different detergents (detergent screen). Samples are analyzed by Western blot.
- 2. The best performing detergent is used for solubilization and the proteins are purified via their rho1D4 tag via two rho1D4 antibody columns: one DTT resistant, the other one not. Eluate fractions are analyzed by Western blot.
- 3. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatograph. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Protein is endotoxin-free.

Grade:

Crystallography grade

Target Details

Target: CLIC4

Alternative Name:

CLIC4 (CLIC4 Products)

Target Details

Background:	Can insert into membranes and form poorly selective ion channels that may also transport		
	chloride ions. Channel activity depends on the pH . Membrane insertion seems to be redox-		
	regulated and may occur only under oxydizing conditions. Promotes cell-surface expression of		
	HRH3. Has alternate cellular functions like a potential role in angiogenesis or in maintaining		
	apical-basolateral membrane polarity during mitosis and cytokinesis. Could also promote		
	endothelial cell proliferation and regulate endothelial morphogenesis (tubulogenesis).		
	{ECO:0000269 PubMed:12163372, ECO:0000269 PubMed:14569596,		
	ECO:0000269 PubMed:16176272, ECO:0000269 PubMed:16239224,		
	ECO:0000269 PubMed:18302930, ECO:0000269 PubMed:19247789}.		
Molecular Weight:	29.8 kDa Including tag.		
UniProt:	Q9Y696		
Application Details			
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies		
	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee		
	though.		
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be		
	insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to		
	increase solubility. We will discuss all possible options with you in detail to assure that you		
	receive your protein of interest.		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.		
Handling Advice:	Avoid repeated freeze-thaw cycles.		
Storage:	-80 °C		
Storage Comment:	Store at -80°C.		
Expiry Date:	Unlimited (if stored properly)		



Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process