antibodies -online.com





CLEC4E Protein (AA 1-214) (rho-1D4 tag)





Go to Product page

Overview

Overview	
Quantity:	1 mg
Target:	CLEC4E
Protein Characteristics:	AA 1-214
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This CLEC4E protein is labelled with rho-1D4 tag.
Application:	SDS-PAGE (SDS), ELISA, Western Blotting (WB), Crystallization (Crys)
Product Details	
Sequence:	MNSTKSPASH HTERGCFKNS OVLSWTIAGA SILFLSGCFI TRCVVTYRSS OISGONLOPH

Application:	SDS-PAGE (SDS), ELISA, Western Blotting (WB), Crystallization (Crys)
Product Details	
Sequence:	MNSTKSPASH HTERGCFKNS QVLSWTIAGA SILFLSGCFI TRCVVTYRSS QISGQNLQPH
	RNIKELSCYS EASGSVKNCC PLNWKHYQSS CYFFSTTTLT WSSSLKNCSD MGAHLVVIDT
	QEEQEFLFRT KPKRKEFYIG LTDQVVEGQW QWVDDTPFTE SLSFWDAGEP NNIVLVEDCA
	TIRDSSNSRK NWNDIPCFYS MPWICEMPEI SPLD
	Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a
	special request, please contact us.
Characteristics:	Made in Germany - from design to production - by highly experienced protein experts.
	• Mouse Clec4e Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
	State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made to order protein and will be made for the first time for your order. Our

experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Three step purification of membrane proteins expressed in baculovirus infected SF9 insect cells:

- 1. Membrane proteins are fractioned by ultracentrifugation and subsequently solubilized with different detergents (detergent screen). Samples are analyzed by Western blot.
- 2. The best performing detergent is used for solubilization and the proteins are purified via their rho1D4 tag via two rho1D4 antibody columns: one DTT resistant, the other one not. Eluate fractions are analyzed by Western blot.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatograph. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Sterility:	0.22 µm filtered
Endotoxin Level:	Protein is endotoxin-free.
Grade:	Crystallography grade

Target Details

Target:	CLEC4E
Alternative Name:	Clec4e (CLEC4E Products)
Background:	C-type lectin that functions as cell-surface receptor for a wide variety of ligands such as

damaged cells, fungi and mycobacteria. Plays a role in the recognition of pathogenic fungi, such as Candida albicans. The detection of mycobacteria is via trehalose 6,6'-dimycolate (TDM), a cell wall glycolipid. Specifically recognizes alpha-mannose residues on pathogenic fungi of the genus Malassezia. Recognizes also SAP130, a nuclear protein, that is released by dead or dying cells. Transduces signals through an ITAM-containing adapter protein, Fc receptor gamma chain /FCER1G. Induces secretion of inflammatory cytokines through a pathway that depends on SYK, CARD9 and NF-kappa-B. {ECO:0000269|PubMed:10528209, ECO:0000269|PubMed:18509109, ECO:0000269|PubMed:19171887}.

Molecular Weight:

25.6 kDa Including tag.

UniProt:

09R008

Application Details

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies

as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee

though.

Comment: Protein has not be

Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible

options with you in detail to assure that you receive your protein of interest.

Restrictions:

For Research Use only

Handling

Format:

Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.

Handling Advice: Avoid repeated freeze-thaw cycles.

arialing Advice.

Avoid repeated freeze thaw cycles

Liquid

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: Unlimited (if stored properly)



Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process