-online.com antibodies

Datasheet for ABIN3119897 MFI2 Protein (AA 20-709) (His tag)

I Image



Overview

| Quantity: | 1 mg |
|-------------------------------|--|
| Target: | MFI2 |
| Protein Characteristics: | AA 20-709 |
| Origin: | Mouse |
| Source: | Insect Cells |
| Protein Type: | Recombinant |
| Purification tag / Conjugate: | This MFI2 protein is labelled with His tag. |
| Application: | SDS-PAGE (SDS), Western Blotting (WB), ELISA, Crystallization (Crys) |

Product Details

| Sequence: | VMEVQWCTIS DAEQQKCKDM SEAFQGAGIR PSLLCVQGNS ADHCVQLIKE QKADAITLDG |
|-----------|---|
| | GAIYEAGKEH GLKPVVGEVY DQDIGTSYYA VAVVRRNSNV TINTLKGVKS CHTGINRTVG |
| | WNVPVGYLVE SGHLSVMGCD VLKAVGDYFG GSCVPGTGET SHSESLCRLC RGDSSGHNVC |
| | DKSPLERYYD YSGAFRCLAE GAGDVAFVKH STVLENTDGN TLPSWGKSLM SEDFQLLCRD |
| | GSRADITEWR RCHLAKVPAH AVVVRGDMDG GLIFQLLNEG QLLFSHEDSS FQMFSSKAYS |
| | QKNLLFKDST LELVPIATQN YEAWLGQEYL QAMKGLLCDP NRLPHYLRWC VLSAPEIQKC |
| | GDMAVAFSRQ NLKPEIQCVS AESPEHCMEQ IQAGHTDAVT LRGEDIYRAG KVYGLVPAAG |
| | ELYAEEDRSN SYFVVAVARR DSSYSFTLDE LRGKRSCHPY LGSPAGWEVP IGSLIQRGFI |
| | RPKDCDVLTA VSQFFNASCV PVNNPKNYPS ALCALCVGDE KGRNKCVGSS QERYYGYSGA |
| | FRCLVEHAGD VAFVKHTTVF ENTNGHNPEP WASHLRWQDY ELLCPNGARA EVDQFQACNL |
| | AQMPSHAVMV RPDTNIFTVY GLLDKAQDLF GDDHNKNGFQ MFDSSKYHSQ DLLFKDATVR |
| | AVPVREKTTY LDWLGPDYVV ALEGMLSQQC |

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/4 | Product datasheet for ABIN3119897 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

| | Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a |
|------------------|--|
| | special request, please contact us. |
| Characteristics: | Made in Germany - from design to production - by highly experienced protein experts. Mouse Meltf Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade. State-of-the-art algorithm used for plasmid design (Gene synthesis). |
| | This protein is a made to order protein and will be made for the first time for your order. Our |
| | experts in the lab will ensure that you receive a correctly folded protein. |
| | The big advantage of ordering our made-to-order proteins in comparison to ordering custom |
| | made proteins from other companies is that there is no financial obligation in case the protein |
| | cannot be expressed or purified. |
| | In the unlikely event that the protein cannot be expressed or purified we do not charge anything |
| | (other companies might charge you for any performed steps in the expression process for |
| | custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression |
| | experiments or purification optimization). |
| | When you order this made-to-order protein you will only pay upon receival of the correctly |
| | folded protein. With no financial risk on your end you can rest assured that our experienced |
| | protein experts will do everything to make sure that you receive the protein you ordered. |
| | The concentration of our recombinant proteins is measured using the absorbance at 280nm. |
| | The protein's absorbance will be measured in several dilutions and is measured against its |
| | specific reference buffer. |
| | The concentration of the protein is calculated using its specific absorption coefficient. We use |
| | the Expasy's protparam tool to determine the absorption coefficient of each protein. |
| Purification: | Two step purification of proteins expressed in baculovirus infected SF9 insect cells: |
| | In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE. Protein containing fractions of the best purification are subjected to second purification step through size analyzed by SDS-PAGE. |
| | through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot. |
| Purity: | >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot. |
| Sterility: | 0.22 µm filtered |
| Endotoxin Level: | Protein is endotoxin free. |
| Grade: | Crystallography grade |

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/4 | Product datasheet for ABIN3119897 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

Target Details

| membrane. Binds a single atom of iron per subunit. Could also bind zinc. Molecular Weight: 77.2 kDa Including tag. UniProt: Q9R0R1 Pathways: Transition Metal Ion Homeostasis, Cell-Cell Junction Organization Application Details In addition to the applications listed above we expect the protein to work for function as well. As the protein has not been tested for functional studies yet we cannot offer though. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may sugges molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Liquid | i di got 2 ottino | |
|---|---------------------|---|
| Background: Involved in iron cellular uptake. Seems to be internalized and then recycled back to the membrane. Binds a single atom of iron per subunit. Could also bind zinc. Molecular Weight: 77.2 kDa Including tag. UniProt: Q9R0R1 Pathways: Transition Metal Ion Homeostasis, Cell-Cell Junction Organization Application Details In addition to the applications listed above we expect the protein to work for function as well. As the protein has not been tested for functional studies yet we cannot offer though. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may sugges molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the mann Handling Advice: Handling Advice: Avoid repeated freeze-thaw cycles. Storage: -80 °C | Target: | MFI2 |
| Immembrane. Binds a single atom of iron per subunit. Could also bind zinc.Molecular Weight:77.2 kDa Including tag.UniProt:OgROR1Pathways:Transition Metal Ion Homeostasis, Cell-Cell Junction OrganizationApplication DetailsIn addition to the applications listed above we expect the protein to work for function as well. As the protein has not been tested for functional studies yet we cannot offer though.Comment:Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may sugges molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all options with you in detail to assure that you receive your protein of interest.Restrictions:For Research Use onlyHandling100 mM NaCL 20 mM Hepes, 10% glycerol. pH value is at the discretion of the mann Handling Advice:Avoid repeated freeze-thaw cycles.Storage: -80 °CStorage Comment:Store at -80 °C. | Alternative Name: | Meltf (MFI2 Products) |
| UniProt: Q9R0R1 Pathways: Transition Metal Ion Homeostasis, Cell-Cell Junction Organization Application Details In addition to the applications listed above we expect the protein to work for function as well. As the protein has not been tested for functional studies yet we cannot offer though. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may sugges molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Iuquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manu Handling Advice: Avoid repeated freeze-thaw cycles. Storage: Storage Comment: Store at -80°C. | Background: | Involved in iron cellular uptake. Seems to be internalized and then recycled back to the cell membrane. Binds a single atom of iron per subunit. Could also bind zinc. |
| Pathways: Transition Metal Ion Homeostasis, Cell-Cell Junction Organization Application Details In addition to the applications listed above we expect the protein to work for function as well. As the protein has not been tested for functional studies yet we cannot offer though. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may sugges molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling In om M NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufanding Advice: Avoid repeated freeze-thaw cycles. Storage: Storage Comment: Store at -80°C. | Molecular Weight: | 77.2 kDa Including tag. |
| Application Details Application Notes: In addition to the applications listed above we expect the protein to work for function as well. As the protein has not been tested for functional studies yet we cannot offer though. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may sugges molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Iuquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manuflang Advice: Handling Advice: -80 °C Storage Comment: Store at -80°C. | UniProt: | Q9R0R1 |
| Application Notes: In addition to the applications listed above we expect the protein to work for function as well. As the protein has not been tested for functional studies yet we cannot offer though. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may sugges molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the mannel Handling Advice: Avoid repeated freeze-thaw cycles. Storage: -80 °C Storage Comment: | Pathways: | Transition Metal Ion Homeostasis, Cell-Cell Junction Organization |
| as well. As the protein has not been tested for functional studies yet we cannot offer though. Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may sugges molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manu drepeated freeze-thaw cycles. Storage: -80 °C Storage Comment: Storage Comment: | Application Details | |
| recombinant protein with the default tag will be insoluble our protein lab may sugges molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manu Handling Advice: Avoid repeated freeze-thaw cycles. Storage: -80 °C Storage Comment: Store at -80°C. | Application Notes: | In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though. |
| HandlingFormat:LiquidBuffer:100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manuHandling Advice:Avoid repeated freeze-thaw cycles.Storage:-80 °CStorage Comment:Store at -80°C. | Comment: | Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. |
| Format:LiquidBuffer:100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manuHandling Advice:Avoid repeated freeze-thaw cycles.Storage:-80 °CStorage Comment:Store at -80°C. | Restrictions: | For Research Use only |
| Buffer:100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manuHandling Advice:Avoid repeated freeze-thaw cycles.Storage:-80 °CStorage Comment:Store at -80°C. | Handling | |
| Handling Advice:Avoid repeated freeze-thaw cycles.Storage:-80 °CStorage Comment:Store at -80°C. | Format: | Liquid |
| Storage: -80 °C Storage Comment: Store at -80°C. | Buffer: | 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer. |
| Storage Comment: Store at -80°C. | Handling Advice: | Avoid repeated freeze-thaw cycles. |
| | Storage: | -80 °C |
| Expiry Date: Unlimited (if stored properly) | Storage Comment: | Store at -80°C. |
| | Expiry Date: | Unlimited (if stored properly) |



Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 4/4 | Product datasheet for ABIN3119897 | 09/11/2023 | Copyright antibodies-online. All rights reserved.