antibodies -online.com





TRPC7 Protein (AA 673-862) (His tag)



Go to Product page

()	1/0	r\ / I	014	
()	ve	I V I	-v	V

1 mg	
TRPC7	
AA 673-862	
Mouse	
Escherichia coli (E. coli)	
Recombinant	
This TRPC7 protein is labelled with His tag.	
ELISA, SDS-PAGE (SDS), Western Blotting (WB), Crystallization (Crys)	
NNSYQEIEED ADVEWKFARA KLWLSYFDEG RTLPAPFNLV PSPKSFYYLI MRIKMCLIEL	
CQSKAKRCEN DLEMGMLNSK FRKTRYQAGM RNSENLTANS TFSKPTRYQK IMKRLIKRYV	
LKAQVDREND EVNEGELKEI KQDISSLRYE LLEEKSQATG ELADLIQQLS EKFGKNLNKD	
HLRVNQGKDI	
Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a	
special request, please contact us.	
Made in Germany - from design to production - by highly experienced protein experts.	
Mouse Trpc7 Protein (raised in E. Coli) purified by multi-step, protein-specific process to	
ensure crystallization grade.	
State-of-the-art algorithm used for plasmid design (Gene synthesis).	
State-of-the-art algorithm used for plasmid design (Gene synthesis). This protein is a made to order protein and will be made for the first time for your order. Our	
_	

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in bacterial culture:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Endotoxin has not been removed. Please contact us if you require endotoxin removal.

Grade:

Crystallography grade

Target Details

Target:	TRPC7	
Alternative Name:	Trpc7 (TRPC7 Products)	
Background:	Thought to form a receptor-activated non-selective calcium permeant cation channel. Probably	
	is operated by a phosphatidylinositol second messenger system activated by receptor tyrosine	
	kinases or G-protein coupled receptors. Activated by diacylglycerol (DAG). May also be	

Storage Comment:

Expiry Date:

Target Details		
	activated by intracellular calcium store depletion.	
Molecular Weight:	23.3 kDa Including tag.	
UniProt:	Q9WVC5	
Application Details		
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.	
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	-80 °C	

Store at -80°C.

Unlimited (if stored properly)