antibodies -online.com





NGFR Protein (AA 266-417) (His tag)



Image



Go to Product page

Overview

Quantity:	1 mg
Target:	NGFR
Protein Characteristics:	AA 266-417
Origin:	Mouse
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Purification tag / Conjugate:	This NGFR protein is labelled with His tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS), Crystallization (Crys)
Product Details	
Sequence:	KRWNSCKQNK QGANSRPVNQ TPPPEGEKLH SDSGISVDSQ SLHDQQTHTQ TASAQALKGD
	GNLYSSLPLT KREEVEKLLN GDTWRHLAGE LGYQPEHIDS FTHEACPVRA LLASWGAQDS
	ATLDALLAAL RRIQRADIVE SLCSESTATS PV
	Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a
	special request, please contact us.
Characteristics:	 Made in Germany - from design to production - by highly experienced protein experts. Mouse Ngfr Protein (raised in E. Coli) purified by multi-step, protein-specific process to ensure crystallization grade.
	State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made to order protein and will be made for the first time for your order. Our
	This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in bacterial culture:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Endotoxin has not been removed. Please contact us if you require endotoxin removal.

Grade:

Crystallography grade

Target Details

Target:	NGFR
Alternative Name:	Ngfr (NGFR Products)
Background:	Low affinity receptor which can bind to NGF, BDNF, NT-3, and NT-4. Can mediate cell survival
	as well as cell death of neural cells (By similarity). Plays a role in the regulation of the
	translocation of GLUT4 to the cell surface in adipocytes and skeletal muscle cells in response
	to insulin, probably by regulating RAB31 activity, and thereby contributes to the regulation of

	insulin-dependent glucose uptake. Binds to rabies virus glycoprotein Gs. Necessary for the
	circadian oscillation of the clock genes ARNTL/BMAL1, PER1, PER2 and NR1D1 in the
	suprachiasmatic nucleus (SCN) of the brain and in liver and of the genes involved in glucose
	and lipid metabolism in the liver. {ECO:0000250, ECO:0000269 PubMed:22460790,
	ECO:0000269 PubMed:23785138}.
Molecular Weight:	17.5 kDa Including tag.
UniProt:	Q9Z0W1
Pathways:	NF-kappaB Signaling, Neurotrophin Signaling Pathway, Carbohydrate Homeostasis, Growth
	Factor Binding
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee
	though.
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the
	recombinant protein with the default tag will be insoluble our protein lab may suggest a higher
	molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible
	options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)



Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process