antibodies

## Datasheet for ABIN3120426 KIR5.1 Protein (AA 168-419) (His tag)

Image



Overview

Quantity:	1 mg
Target:	KIR5.1 (KCNJ16)
Protein Characteristics:	AA 168-419
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This KIR5.1 protein is labelled with His tag.
Application:	ELISA, Western Blotting (WB), Crystallization (Crys), SDS-PAGE (SDS)
Product Details	
Sequence:	ALAKMATARK RAQTIRFSYF ALIGMRDGKL CLMWRIGDFR PNHVVEGTVR AQLLRYSEDS
	EGRMTMAFKD LKLVNDQIIL VTPVTIVHEI DHESPLYALD RKAVAKDNFE ILVTFIYTGD
	STGTSHQSRS SYIPREILWG HRFHDVLEVK RKYYKVNCLQ FEGSVEVYAP FCSAKQLDWK
	DQQLNNLEKT SPARGSCNSD TNTRRRSFSA VAVVSSCENP EETVLSPQDE CKEMPYQKAL
	LTLNRISMES QM
	Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a
	special request, please contact us.
Characteristics:	Made in Germany - from design to production - by highly experienced protein experts.
	<ul> <li>Mouse Kcnj16 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.</li> </ul>
	State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made to order protein and will be made for the first time for your order. Our

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/4 | Product datasheet for ABIN3120426 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

Target:	KIR5.1 (KCNJ16)
Target Details	
Grade:	Crystallography grade
Endotoxin Level:	Protein is endotoxin free.
Sterility:	0.22 µm filtered
Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
	<ol> <li>In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.</li> <li>Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.</li> </ol>
Purification:	Two step purification of proteins expressed in baculovirus infected SF9 insect cells:
	specific reference buffer. The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.
	The protein's absorbance will be measured in several dilutions and is measured against its
	protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm.
	folded protein. With no financial risk on your end you can rest assured that our experienced
	When you order this made-to-order protein you will only pay upon receival of the correctly
	experiments or purification optimization).
	custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression
	(other companies might charge you for any performed steps in the expression process for
	In the unlikely event that the protein cannot be expressed or purified we do not charge anything
	cannot be expressed or purified.
	made proteins from other companies is that there is no financial obligation in case the protein
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom

Target:	KIR5.1 (KCNJ16)
Alternative Name:	Kcnj16 (KCNJ16 Products)
Background:	Inward rectifier potassium channels are characterized by a greater tendency to allow potassium to flow into the cell rather than out of it. Their voltage dependence is regulated by

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/4 | Product datasheet for ABIN3120426 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

## Target Details

the concentration of extracellular potassium, as external potassium is raised, the voltage range
of the channel opening shifts to more positive voltages. The inward rectification is mainly due
to the blockage of outward current by internal magnesium. KCNJ16 may be involved in the
regulation of fluid and pH balance. In the kidney, together with KCNJ10, mediates basolateral
K(+) recycling in distal tubules, this process is critical for Na(+) reabsorption at the tubules.
{EC0:0000250 UniProtKB:Q9NPI9}.
29.8 kDa Including tag.
Q9Z307
In addition to the applications listed above we expect the protein to work for functional studies
as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee
though.
Protein has not been tested for activity yet. In cases in which it is highly likely that the
recombinant protein with the default tag will be insoluble our protein lab may suggest a higher
molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible
options with you in detail to assure that you receive your protein of interest.
For Research Use only
Liquid
100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Avoid repeated freeze-thaw cycles.
-80 °C
Store at -80°C.

Expiry Date: Unlimited (if stored properly)



**Image 1.** "Crystallography Grade" protein due to multi-step, protein-specific purification process

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 4/4 | Product datasheet for ABIN3120426 | 09/11/2023 | Copyright antibodies-online. All rights reserved.