antibodies

## Datasheet for ABIN3120478 ATP5G2 Protein (AA 72-146) (rho-1D4 tag)



Overview

Image

Overview	
Quantity:	1 mg
Target:	ATP5G2
Protein Characteristics:	AA 72-146
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This ATP5G2 protein is labelled with rho-1D4 tag.
Application:	ELISA, Western Blotting (WB), Crystallization (Crys), SDS-PAGE (SDS)
Product Details	
Sequence:	DIDTAAKFIG AGAATVGVAG SGAGIGTVFG SLIIGYARNP SLKQQLFSYA ILGFALSEAM
	GLFCLMVAFL ILFAM
	Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a
	special request, please contact us.
Characteristics:	Made in Germany - from design to production - by highly experienced protein experts.
	Mouse Atp5g2 Protein (raised in Insect Cells) purified by multi-step, protein-specific process
	to ensure crystallization grade.
	State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made to order protein and will be made for the first time for your order. Our
	experts in the lab will ensure that you receive a correctly folded protein.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/4 | Product datasheet for ABIN3120478 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

Product Details	
	cannot be expressed or purified.
	In the unlikely event that the protein cannot be expressed or purified we do not charge anything
	(other companies might charge you for any performed steps in the expression process for
	custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression
	experiments or purification optimization).
	When you order this made-to-order protein you will only pay upon receival of the correctly
	folded protein. With no financial risk on your end you can rest assured that our experienced
	protein experts will do everything to make sure that you receive the protein you ordered.
	The concentration of our recombinant proteins is measured using the absorbance at 280nm.
	The protein's absorbance will be measured in several dilutions and is measured against its
	specific reference buffer.
	The concentration of the protein is calculated using its specific absorption coefficient. We use
	the Expasy's protparam tool to determine the absorption coefficient of each protein.
Purification:	Three step purification of membrane proteins expressed in baculovirus infected SF9 insect
	cells:
	1. Membrane proteins are fractioned by ultracentrifugation and subsequently solubilized with
	different detergents (detergent screen). Samples are analyzed by Western blot.
	2. The best performing detergent is used for solubilization and the proteins are purified via their rho1D4 tag via two rho1D4 antibody columns: one DTT resistant, the other one not. Eluate
	fractions are analyzed by Western blot.
	3. Protein containing fractions of the best purification are subjected to second purification step
	through size exclusion chromatograph. Eluate fractions are analyzed by SDS-PAGE and
	Western blot.
Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Sterility:	0.22 µm filtered
Endotoxin Level:	Protein is endotoxin-free.
Grade:	Crystallography grade
Target Details	
Target:	ATP5G2
Alternative Name:	Atp5g2 (ATP5G2 Products)

Background:	Mitochondrial membrane ATP synthase (F(1)F(0) ATP synthase or Complex V) produces ATP
	from ADP in the presence of a proton gradient across the membrane which is generated by
	electron transport complexes of the respiratory chain. F-type ATPases consist of two structural

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/4 | Product datasheet for ABIN3120478 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

## Target Details

	domains, $F(1)$ - containing the extramembraneous catalytic core and $F(0)$ - containing the
	membrane proton channel, linked together by a central stalk and a peripheral stalk. During
	catalysis, ATP synthesis in the catalytic domain of $F(1)$ is coupled via a rotary mechanism of
	the central stalk subunits to proton translocation. Part of the complex $F(0)$ domain. A
	homomeric c-ring of probably 10 subunits is part of the complex rotary element.
Molecular Weight:	8.8 kDa Including tag.
UniProt:	P56383
Pathways:	Proton Transport, Ribonucleoside Biosynthetic Process
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee
	though.
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the
	recombinant protein with the default tag will be insoluble our protein lab may suggest a higher
	molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible
	options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.

Expiry Date: Unlimited (if stored properly)



**Image 1.** "Crystallography Grade" protein due to multi-step, protein-specific purification process

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 4/4 | Product datasheet for ABIN3120478 | 09/11/2023 | Copyright antibodies-online. All rights reserved.