antibodies -online.com





NANOS3 Protein (AA 1-178) (His tag)



Image



Go to Product page

()	11/0	r\ /1	$\triangle 1 $
	$\lor \lor \vdash$	1 V I	ew

Quantity:	1 mg
Target:	NANOS3
Protein Characteristics:	AA 1-178
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This NANOS3 protein is labelled with His tag.
Application:	ELISA, Western Blotting (WB), Crystallization (Crys), SDS-PAGE (SDS)
Product Details	
Sequence:	MGTFNLWTDY LGLARLVGAL HKEEELDVRL DPKPEPKPSS ESQQASKESS AAPERLCSFC
	KHNGESRAIY QSHVLKDEAG RVLCPILRDY VCPQCGATQE HAHTRRFCPL TSQGYTSVYC
	YTTRNSAGKK LTRPDKAKTQ DAGHRLGGEA AAGVYAGSKS GRKPPGPSPS ACCPSTTA
	Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a
	special request, please contact us.
Characteristics:	 Made in Germany - from design to production - by highly experienced protein experts. Mouse Nanos3 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade. State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made to order protein and will be made for the first time for your order. Our
	experts in the lab will ensure that you receive a correctly folded protein.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom

made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its

specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

the Expasy's protparam tool to determine the absorption coefficient of each protein.

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Protein is endotoxin free.

Grade:

Crystallography grade

Target Details

Target:	NANOS3	
Alternative Name:	Nanos3 (NANOS3 Products)	
Background:	Plays a role in the maintenance of the undifferentiated state of germ cells regulating the	
	spermatogonia cell cycle and inducing a prolonged transit in G1 phase. Affects cell proliferation	
	probably by repressing translation of specific mRNAs. Maintains the germ cell lineage by	
	suppressing both Bax-dependent and -independent apoptotic pathways. Essential in the early	

Target Details

Expiry Date:

rarget Details		
	stage embryo to protect the migrating primordial germ cells (PGCs) from apoptosis. {ECO:0000269 PubMed:12947200, ECO:0000269 PubMed:17138666, ECO:0000269 PubMed:18089289, ECO:0000269 PubMed:18436203}.	
Molecular Weight:	20.2 kDa Including tag.	
UniProt:	P60324	
Pathways:	ACE Inhibitor Pathway, Regulation of Systemic Arterial Blood Pressure by Hormones, Cellular Response to Molecule of Bacterial Origin, Myometrial Relaxation and Contraction, Signaling Events mediated by VEGFR1 and VEGFR2, Thromboxane A2 Receptor Signaling, VEGFR1 Specific Signals, VEGF Signaling	
Application Details		
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.	
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	-80 °C	
Storage Comment:	Store at -80°C.	
Francisco Deter	Unline it ad (if about discuss with)	

Unlimited (if stored properly)




Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process