

Datasheet for ABIN3120697

ABCE1 Protein (AA 1-599) (Strep Tag)[Go to Product page](#)

Overview

Quantity:	250 µg
Target:	ABCE1
Protein Characteristics:	AA 1-599
Origin:	Mouse
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This ABCE1 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Product Details

Sequence: MADKLTRIAI VNHDKCKPKK CRQECKKSCP VVRMGKLCIE VTPQSKIAWI SETLCIGCGI
CIKKCPFGAL SIVNLPSNLE KETTHRYCAN AFKLHRLPIP RPGEVLGLVG TNGIGKSTAL
KILAGKQKPN LGKYDDPPDW QEILTYFRGS ELQNYFTKIL EDDLKAIKP QYVDQIPKAA
KGTVGSILDR KDETQTQAIV CQQLDLTHLK ERNVEDLSGG ELQRFACAVV CIQKADIFMF
DEPSSYLVDK QRLKAAITIR SLINPDRYII VVEHDLSVLD YLSDFICCLY GVPSAYGVVT
MPFSVREGIN IFLDGYVPT E NLRFRDASLV FKVAETANEE EVKKMCMYKY PGMKKKMGEF
ELAIVAGEFT DSEIMVMLGE NGTGKTTFIR MLAGRLKPDE GGEVPLNVS YKPQKISPKS
TGSVRQLLHE KIRDAYTHPQ FVTDVMKPLQ IENIIDQEVQ TLSSGELQRV ALALCLGKPA
DVYLIDEPSA YLDSEQRLMA ARVVKRFILH AKKTAFVVEH DFIMATYLAD RVIVFDGVPS
KNTVANSPT LLAGMKNFLS QLEITFRRDP NNYRPRINKL NSIKDVEQKK SGNFYFLDD

Sequence without tag. The proposed Strep-Tag is based on experience with the expression system. Our team may suggest an additional tag depending on the complexity of the protein.

If you have a special request, please contact us..

Characteristics:

Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified in one-step affinity chromatography
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a predefined custom protein and will be made for the first time for your order.

Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our predefined custom proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- We use the ExPASy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:

One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®).

Purity:

approximately 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).

Grade:

custom-made

Target Details

Target: ABCE1

Alternative Name: Abce1 ([ABCE1 Products](#))

Background: ATP-binding cassette sub-family E member 1 (RNase L inhibitor) (EC 3.6.5.-) (Ribonuclease 4 inhibitor) (RNS4I),FUNCTION: Nucleoside-triphosphatase (NTPase) involved in ribosome recycling by mediating ribosome disassembly (By similarity). Able to hydrolyze ATP, GTP, UTP and CTP (By similarity). Splits ribosomes into free 60S subunits and tRNA- and mRNA-bound 40S subunits (By similarity). Acts either after canonical termination facilitated by release factors (ETF1/eRF1) or after recognition of stalled and vacant ribosomes by mRNA surveillance factors (PELO/Pelota) (By similarity). Involved in the No-Go Decay (NGD) pathway: recruited to stalled ribosomes by the Pelota-HBS1L complex, and drives the disassembly of stalled ribosomes, followed by degradation of damaged mRNAs as part of the NGD pathway (By similarity). Also plays a role in quality control of translation of mitochondrial outer membrane-localized mRNA (By similarity). As part of the PINK1-regulated signaling, ubiquitinated by CNOT4 upon mitochondria damage, this modification generates polyubiquitin signals that recruit autophagy receptors to the mitochondrial outer membrane and initiate mitophagy (By similarity). RNASEL-specific protein inhibitor which antagonizes the binding of 2-5A (5'-phosphorylated 2',5'-linked oligoadenylates) to RNASEL (PubMed:10866653). Negative regulator of the anti-viral effect of the interferon-regulated 2-5A/RNASEL pathway (By similarity).
{ECO:0000250|UniProtKB:P61221, ECO:0000269|PubMed:10866653}.

Molecular Weight: 67.3 kDa

UniProt: [P61222](#)

Application Details

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Comment: ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional

Application Details

components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: The buffer composition is at the discretion of the manufacturer.
Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol **Might differ depending on protein.**

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: 12 months