antibodies -online.com





Cytochrome C Protein (AA 2-105) (His tag)



Image



Go to Product page

| \sim | | | | |
|--------|-----------|------|----|---|
| | $ V \cap$ | r\/I | 19 | ٨ |

| Overview | | | |
|-------------------------------|--|--|--|
| Quantity: | 1 mg | | |
| Target: | Cytochrome C (CYCS) | | |
| Protein Characteristics: | AA 2-105 | | |
| Origin: | Mouse | | |
| Source: | Escherichia coli (E. coli) | | |
| Protein Type: | Recombinant | | |
| Purification tag / Conjugate: | This Cytochrome C protein is labelled with His tag. | | |
| Application: | ELISA, Western Blotting (WB), SDS-PAGE (SDS), Crystallization (Crys) | | |
| Product Details | | | |
| Sequence: | GDVEKGKKIF VQKCAQCHTV EKGGKHKTGP NLHGLFGRKT GQAAGFSYTD ANKNKGITWG | | |
| | EDTLMEYLEN PKKYIPGTKM IFAGIKKKGE RADLIAYLKK ATNE | | |
| | Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a | | |
| | special request, please contact us. | | |
| Characteristics: | Made in Germany - from design to production - by highly experienced protein experts. Mouse Cycs Protein (raised in E. Coli) purified by multi-step, protein-specific process to ensure crystallization grade. State-of-the-art algorithm used for plasmid design (Gene synthesis). | | |
| | This protein is a made to order protein and will be made for the first time for your order. Our | | |
| | experts in the lab will ensure that you receive a correctly folded protein. | | |
| | The big advantage of ordering our made-to-order proteins in comparison to ordering custom | | |
| | | | |

cannot be expressed or purified.

specific reference buffer.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in bacterial culture:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Endotoxin has not been removed. Please contact us if you require endotoxin removal.

Grade:

Crystallography grade

Target Details

| Target: | Cytochrome C (CYCS) |
|-------------------|--|
| Alternative Name: | Cycs (CYCS Products) |
| Background: | Electron carrier protein. The oxidized form of the cytochrome c heme group can accept an |
| | electron from the heme group of the cytochrome c1 subunit of cytochrome reductase. |
| | Cytochrome c then transfers this electron to the cytochrome oxidase complex, the final protein |
| | carrier in the mitochondrial electron-transport chain. {ECO:0000269 PubMed:12062423}., Plays |
| | a role in apoptosis. Suppression of the anti-apoptotic members or activation of the pro- |

Target Details

| rarget Details | | |
|---------------------|---|--|
| | apoptotic members of the Bcl-2 family leads to altered mitochondrial membrane permeability resulting in release of cytochrome c into the cytosol. Binding of cytochrome c to Apaf-1 triggers the activation of caspase-9, which then accelerates apoptosis by activating other caspases. | |
| | {ECO:0000269 PubMed:12062423}. | |
| Molecular Weight: | 12.4 kDa Including tag. | |
| UniProt: | P62897 | |
| Pathways: | Apoptosis, Caspase Cascade in Apoptosis, Positive Regulation of Endopeptidase Activity | |
| Application Details | | |
| Application Notes: | In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though. | |
| Comment: | Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. | |
| Restrictions: | For Research Use only | |
| Handling | | |
| Format: | Liquid | |
| Buffer: | 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer. | |
| Handling Advice: | Avoid repeated freeze-thaw cycles. | |
| Storage: | -80 °C | |
| Storage Comment: | Store at -80°C. | |
| Expiry Date: | Unlimited (if stored properly) | |



Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process