antibodies .- online.com





DNAJA1 Protein (AA 1-394) (His tag)



()	1 /	0	rv	/ 1 /	71	Α.
	1//	-	1 \/	16		1/1/
\sim	v	\sim	1 V	١,	_	v v

Quantity:	1 mg	
Target:	DNAJA1	
Protein Characteristics:	AA 1-394	
Origin:	Mouse	
Source:	Insect Cells	
Protein Type:	Recombinant	
Purification tag / Conjugate:	This DNAJA1 protein is labelled with His tag.	
Application:	ELISA, Western Blotting (WB), Crystallization (Crys), SDS-PAGE (SDS)	

Product Details

Sequence:

MVKETTYYDV LGVKPNATQE ELKKAYRKLA LKYHPDKNPN EGEKFKQISQ AYEVLADSKK RELYDKGGEQ AIKEGGAGGG FGSPMDIFDM FFGGGGRMQR ERRGKNVVHQ LSVTLEDLYN GATRKLALQK NVICDKCEGR GGKKGAVECC PNCRGTGMQI RIHQIGPGMV QQIQSVCMEC QGHGERISPK DRCKSCNGRK IVREKKILEV HIDKGMKDGQ KITFHGEGDQ EPGLEPGDII IVLDQKDHAV FTRRGEDLFM CMDIQLVEAL CGFQKPISTL DNRTIVITSH PGQIVKHGDI KCVLNEGMPI YRRPYEKGRL IIEFKVNFPE NGFLSPDKLS LLEKLLPERK EVEETDEMDQ VELVDFDPNQ ERRRHYNGEA YEDDEHHPRG GVQC

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a

special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Mouse Dnaja1 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.

• State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity: >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility: 0.22 µm filtered

Endotoxin Level: Protein is endotoxin free.

Grade: Crystallography grade

Target Details

Target: DNAJA1

Alternative Name: Dnaja1 (DNAJA1 Products)

Target Details

Co-chaperone for HSPA8/Hsc70. Plays a role in protein transport into mitochondria via its role		
as co-chaperone. Stimulates ATP hydrolysis, but not the folding of unfolded proteins mediated		
by HSPA1A (in vitro). Promotes apoptosis in response to cellular stress mediated by exposure		
to anisomycin or UV (By similarity). Functions as co-chaperone for HSPA1B and negatively		
regulates the translocation of BAX from the cytosol to mitochondria in response to cellular		
stress, thereby protecting cells against apoptosis. {ECO:0000250,		
ECO:0000269 PubMed:14752510}.		
45.5 kDa Including tag.		
P63037		
Intracellular Steroid Hormone Receptor Signaling Pathway		
In addition to the applications listed above we expect the protein to work for functional studies		
as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee		
though.		
Protein has not been tested for activity yet. In cases in which it is highly likely that the		
recombinant protein with the default tag will be insoluble our protein lab may suggest a higher		
molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible		
options with you in detail to assure that you receive your protein of interest.		
For Research Use only		
Liquid		
100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.		
Avoid repeated freeze-thaw cycles.		
-80 °C		
Store at -80°C.		
Unlimited (if stored properly)		