# antibodies -online.com





# **TUBA1A Protein (AA 1-451) (Strep Tag)**



#### Overview

Quantity:	1 mg
Target:	TUBA1A (Tuba1a)
Protein Characteristics:	AA 1-451
Origin:	Mouse
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This TUBA1A protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

### **Product Details**

Sequence:

MRECISIHVG QAGVQIGNAC WELYCLEHGI QPDGQMPSDK TIGGGDDSFN TFFSETGAGK
HVPRAVFVDL EPTVIDEVRT GTYRQLFHPE QLITGKEDAA NNYARGHYTI GKEIIDLVLD
RIRKLADQCT GLQGFLVFHS FGGGTGSGFT SLLMERLSVD YGKKSKLEFS IYPAPQVSTA
VVEPYNSILT THTTLEHSDC AFMVDNEAIY DICRRNLDIE RPTYTNLNRL IGQIVSSITA
SLRFDGALNV DLTEFQTNLV PYPRIHFPLA TYAPVISAEK AYHEQLSVAE ITNACFEPAN
QMVKCDPRHG KYMACCLLYR GDVVPKDVNA AIATIKTKRT IQFVDWCPTG FKVGINYQPP
TVVPGGDLAK VQRAVCMLSN TTAIAEAWAR LDHKFDLMYA KRAFVHWYVG EGMEEGEFSE
AREDMAALEK DYEEVGVDSV EGEGEEEGEE Y

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics: Key Benefits:

- · Made in Germany from design to production by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

#### Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
  protein production are removed, leaving only the protein production machinery and the
  mitochondria to drive the reaction. During our lysate completion steps, the additional
  components needed for protein production (amino acids, cofactors, etc.) are added to
  produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

#### Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

## Purification:

Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):

- 1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

alpha-1 chain) [Cleaved into: Detyrosinated tubulin alpha-1A chain],FUNCTION: Tubulin is the major constituent of microtubules, a cylinder consisting of laterally associated linear protofilaments composed of alpha- and beta-tubulin heterodimers. Microtubules grow by the addition of GTP-tubulin dimers to the microtubule end, where a stabilizing cap forms. Below cap, tubulin dimers are in GDP-bound state, owing to GTPase activity of alpha-tubulin.  Molecular Weight: 50.1 kDa  UniProt: P68369  Pathways: Microtubule Dynamics, M Phase  Application Details  Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.  Comment: ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.  During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to product something that functions like a cell, but without the constraints of a living system - all that's	Product Details	
Target Details  Target: TUBA1A (Tuba1a)  Alternative Name: Tuba1a (Tuba1a Products)  Background: Tubulin alpha-1A chain (EC 3.6.5) (Alpha-tubulin 1) (Alpha-tubulin isotype M-alpha-1) (Tubul alpha-1A chain) (Cleaved into: Detyrosinated tubulin alpha-1A chain) EUNCTION: Tubulin is the major constituent of microtubules, a cylinder consisting of laterally associated linear protofilaments composed of alpha- and beta-tubulin heterodimers. Microtubules grow by the addition of GTP-tubulin dimers to the microtubule end, where a stabilizing cap forms. Below cap, tubulin dimers are in GDP-bound state, owing to GTPase activity of alpha-tubulin.  Molecular Weight: 50.1 kDa  UniProt: P68369  Pathways: Microtubule Dynamics, M Phase  Application Details  Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.  Comment: ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.  During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to production something that functions like a cell, but without the constraints of a living system - all thats	Purity:	≥ 80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Target: TUBA1A (Tuba1a)  Alternative Name: Tuba1a (Tuba1a Products)  Background: Tubulin alpha-1A chain (EC 3.6.5) (Alpha-tubulin 1) (Alpha-tubulin isotype M-alpha-1) (Tubulin alpha-1 chain) [Cleaved into: Detyrosinated tubulin alpha-1A chain].FUNCTION: Tubulin is the major constituent of microtubules, a cylinder consisting of laterally associated linear protofilaments composed of alpha- and beta-tubulin heterodimers. Microtubules grow by the addition of GTP-tubulin dimers to the microtubule end, where a stabilizing cap forms. Below cap, tubulin dimers are in GDP-bound state, owing to GTPase activity of alpha-tubulin.  Molecular Weight: 50.1 kDa  UniProt: P68369  Pathways: Microtubule Dynamics, M Phase  Application Details  Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.  Comment: ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.  During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to productions like a cell, but without the constraints of a living system - all that's	Endotoxin Level:	Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)
Alternative Name:  Tuba1a (Tuba1a Products)  Background:  Tubulin alpha-1A chain (EC 3.6.5-) (Alpha-tubulin 1) (Alpha-tubulin isotype M-alpha-1) (Tubu alpha-1 chain) (Cleaved into: Detyrosinated tubulin alpha-1A chain),FUNCTION: Tubulin is the major constituent of microtubules, a cylinder consisting of laterally associated linear protofilaments composed of alpha- and beta-tubulin heterodimers. Microtubules grow by the addition of GTP-tubulin dimers to the microtubule end, where a stabilizing cap forms. Below cap, tubulin dimers are in GDP-bound state, owing to GTPase activity of alpha-tubulin.  Molecular Weight:  50.1 kDa  UniProt:  P68369  Pathways:  Microtubule Dynamics, M Phase  Application Details  Application Notes:  In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.  Comment:  ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.  During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to production gone thing that functions like a cell, but without the constraints of a living system - all that's	Target Details	
Background:  Tubulin alpha-1A chain (EC 3.6.5) (Alpha-tubulin 1) (Alpha-tubulin isotype M-alpha-1) (Tubu alpha-1 chain) [Cleaved into: Detyrosinated tubulin alpha-1A chain].FUNCTION: Tubulin is the major constituent of microtubules, a cylinder consisting of laterally associated linear protofilaments composed of alpha- and beta-tubulin heterodimers. Microtubules grow by th addition of GTP-tubulin dimers to the microtubule end, where a stabilizing cap forms. Below cap, tubulin dimers are in GDP-bound state, owing to GTPase activity of alpha-tubulin.  Molecular Weight:  50.1 kDa  UniProt:  P68369  Pathways:  Microtubule Dynamics, M Phase  Application Details  Application Notes:  In addition to the applications listed above we expect the protein to work for functional studias well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.  Comment:  ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce the most difficult-to-express proteins, including those that require post-translational modifications.  During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce models and the functions like a cell, but without the constraints of a living system - all that's	Target:	TUBA1A (Tuba1a)
alpha-1 chain) [Cleaved into: Detyrosinated tubulin alpha-1A chain],FUNCTION: Tubulin is the major constituent of microtubules, a cylinder consisting of laterally associated linear protofilaments composed of alpha- and beta-tubulin heterodimers. Microtubules grow by the addition of GTP-tubulin dimers to the microtubule end, where a stabilizing cap forms. Below cap, tubulin dimers are in GDP-bound state, owing to GTPase activity of alpha-tubulin.  Molecular Weight: 50.1 kDa  UniProt: P68369  Pathways: Microtubule Dynamics, M Phase  Application Details  Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.  Comment: ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.  During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to product something that functions like a cell, but without the constraints of a living system - all that's	Alternative Name:	Tuba1a (Tuba1a Products)
UniProt: P68369  Pathways: Microtubule Dynamics, M Phase  Application Details  Application Notes: In addition to the applications listed above we expect the protein to work for functional studias well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.  Comment: ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.  During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to product something that functions like a cell, but without the constraints of a living system - all that's	Background:	protofilaments composed of alpha- and beta-tubulin heterodimers. Microtubules grow by the addition of GTP-tubulin dimers to the microtubule end, where a stabilizing cap forms. Below the
Pathways:  Application Details  Application Notes:  In addition to the applications listed above we expect the protein to work for functional studias well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.  Comment:  ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.  During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to production that functions like a cell, but without the constraints of a living system - all that's	Molecular Weight:	50.1 kDa
Application Details  Application Notes:  In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.  Comment:  ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.  During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's	UniProt:	P68369
Application Notes:  In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.  Comment:  ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.  During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to product something that functions like a cell, but without the constraints of a living system - all that's	Pathways:	Microtubule Dynamics, M Phase
as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.  Comment:  ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.  During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to production that functions like a cell, but without the constraints of a living system - all that's	Application Details	
Nicotiana tabacum c.v This contains all the protein expression machinery needed to product even the most difficult-to-express proteins, including those that require post-translational modifications.  During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to production that functions like a cell, but without the constraints of a living system - all that's	Application Notes:	
and the DNA that and a fauth a desired waterial	Comment:	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.  During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce
Restrictions:  Research Use only	Restrictions:	needed is the DNA that codes for the desired protein!  For Research Use only

## Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)