

[Go to Product page](#)

Datasheet for ABIN3121012

EXT2 Protein (AA 1-718) (Strep Tag)

Overview

Quantity:	1 mg
Target:	EXT2
Protein Characteristics:	AA 1-718
Origin:	Mouse
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This EXT2 protein is labelled with Strep Tag.
Application:	Western Blotting (WB), ELISA, SDS-PAGE (SDS)

Product Details

Sequence:	MCASVKS NIR GPALIPRMKT KHRIYYVTLF SIVLLGLIAT GMFQFWPHSI ESSSDGGVEK RSIREVPVVR LPTDSPIPER GDLSCRMHTC FDVYRCGFNP KNKIKVYIYP LKKYVDDAGV PVSSAISREY NELLTAISDS DYYTDDINRA CLFVPSIDVL NQNPLRIKET AQALAQLSRW DRGTNHLLFN MLPGAPPDYN TALDVPRDRA LLAGGGFSTW TYRQGYDVSI PVFSPLSAEM ALPEKAPGPR RYFLLSSQMA IHPEYREELE ALQAKHQESV LVLDKCTNLS EGVLSVRKRC HQHQVFDYPQ VLQEATFCTV LRGARLGQAV LSDVLQAGCV PVVIADSYIL PFSEVLDWKR ASVVVPEEKM SDVYSILQNI PQRQIEEMQR QARWFWEAYF QSIKAIALAT LQIINDRIYP YAAISYEEWN DPPAVKWASV SNPLFLPLIP PQSQGFTAIV LTYDRVESLF RVITEVSKVP SLSKLLVWN NQKNPPEES LWPKIRVPLK VVRTAENKLS NRFFPYDEIE TEAVLAIDDD IIMLTSDQLQ FGYEVWREFP DRLVGYPGRL HLWDHEMNKW KYESEWTNEV SMVLTGAAFY HKYFNYLYTY KMPGDIKNWV DTHMNCEDIA MNFLVANVTG KAVIKVTPRK KFKCPECTAI DGLSLDQTHM VERSECINKF ASVFGTMPLK VVEHRADPVL YKDDFPEKLK SFPNIGSL
-----------	---

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the ExPASy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):

Product Details

1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.
2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity: $\geq 80\%$ as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Endotoxin Level: Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)

Grade: Crystallography grade

Target Details

Target: EXT2

Alternative Name: Ext2 ([EXT2 Products](#))

Background: Exostosin-2 (EC 2.4.1.224) (Exostosin glycosyltransferase 2) (Glucuronosyl-N-acetylglucosaminyl-proteoglycan 4-alpha-N-acetylglucosaminyltransferase) (Multiple exostoses protein 2 homolog),FUNCTION: Glycosyltransferase forming with EXT1 the heterodimeric heparan sulfate polymerase which catalyzes the elongation of the heparan sulfate glycan backbone. Glycan backbone extension consists in the alternating transfer of (1->4)-beta-D-GlcA and (1->4)-alpha-D-GlcNAc residues from their respective UDP-sugar donors (PubMed:10639137). Both EXT1 and EXT2 are required for the full activity of the polymerase since EXT1 bears the N-acetylglucosaminyl-proteoglycan 4-beta-glucuronosyltransferase activity within the complex while EXT2 carries the glucuronosyl-N-acetylglucosaminyl-proteoglycan 4-alpha-N-acetylglucosaminyltransferase activity. Heparan sulfate proteoglycans are ubiquitous components of the extracellular matrix and play an important role in tissue homeostasis and signaling (By similarity). {ECO:0000250|UniProtKB:Q93063, ECO:0000269|PubMed:10639137}.

Molecular Weight: 82.1 kDa

UniProt: [P70428](#)

Pathways: [Glycosaminoglycan Metabolic Process](#)

Application Details

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a

Application Details

	guarantee though.
Comment:	<p>ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from <i>Nicotiana tabacum</i> c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.</p> <p>During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!</p>
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)