

Datasheet for ABIN3121593  
**CD15 Protein (AA 1-433) (Strep Tag)**



[Go to Product page](#)

## Overview

Quantity:	250 µg
Target:	CD15 (FUT4)
Protein Characteristics:	AA 1-433
Origin:	Mouse
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This CD15 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

## Product Details

Brand:	AliCE®
Sequence:	<p>MAPARQELQH ESRCRPSRTV DAWRAAVATR GRHMETPGYR RRTRCGGWGL PRSVSSLA AV GLLCTALTTF ICWGQLPLLP WASPAPQRLV GVLLWWEFPR GRGGYPKSPP DCSLRFNISG CRLTDR AAY GEAQAVLFHH RDLVKELHDW PPPWGARERT DKALVLRVFD DQEGAVTLTG KALETVGSRP PGQRWVWMNF ESPSHTPGLR GLAKDLFNWT LSVRTSDVDF VPYGFLYSRS DPTEQPSGLG PQLARKRGLV AWWVSNWNEH QARVRYHQL SRHVSVDVFG RTGPGRP VPA IGLLHTVARY KFYLAFENSR HVDYITEKLW RNAFLAGAVP VVLGPDRANY ERFVPRGAFI HVDDFPNAAS LAAYLLFLDR NVAVYRRYFR WRRSFAVHIT SFWDEQWCRT CQAVQTSGDQ PKSIHNLADW FQR</p> <p><b>Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.</b></p>

## Product Details

---

### Characteristics:

#### Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

#### Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

#### Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

---

### Purification:

One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®).

---

### Purity:

> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).

---

### Grade:

custom-made

## Target Details

---

Target: CD15 (FUT4)

Alternative Name: Fut4 ([FUT4 Products](#))

Background: Alpha-(1,3)-fucosyltransferase 4 (4-galactosyl-N-acetylglucosaminide 3-alpha-L-fucosyltransferase) (EC 2.4.1.152) (Fucosyltransferase 4) (Fucosyltransferase IV) (Fuc-TIV) (FucT-IV) (Galactoside 3-L-fucosyltransferase),FUNCTION: Catalyzes alpha(1->3) linkage of fucosyl moiety transferred from GDP-beta-L-fucose to N-acetyl glucosamine (GlcNAc) within type 2 lactosamine (LacNAc, Gal-beta(1->4)GlcNAc) glycan attached to N- or O-linked glycoproteins (PubMed:11485743). Robustly fucosylates nonsialylated distal LacNAc unit of the polylactosamine chain to form Lewis X antigen (CD15), a glycan determinant known to mediate important cellular functions in development and immunity. Fucosylates with lower efficiency sialylated LacNAc acceptors to form sialyl Lewis X and 6-sulfo sialyl Lewis X determinants that serve as recognition epitopes for C-type lectins (PubMed:11485743). Together with FUT7 contributes to SELE, SELL and SELP selectin ligand biosynthesis and selectin-dependent lymphocyte homing, leukocyte migration and blood leukocyte homeostasis (PubMed:11485743). In a cell type specific manner, may also fucosylate the internal LacNAc unit of the polylactosamine chain to form VIM-2 antigen that serves as recognition epitope for SELE (By similarity). {ECO:0000250|UniProtKB:P22083, ECO:0000269|PubMed:11485743}.

Molecular Weight: 49.5 kDa

UniProt: [Q11127](#)

## Application Details

---

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Comment: ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's

## Application Details

---

needed is the DNA that codes for the desired protein!

Restrictions: For Research Use only

## Handling

---

Format: Liquid

Buffer: The buffer composition is at the discretion of the manufacturer.  
Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol **Might differ depending on protein.**

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: 12 months