antibodies .- online.com





Prokineticin 1 Protein (Prok1) (AA 20-105) (His tag)



Go to Product page

\sim					
	1/6	⊃r	\/I	\triangle	٨/

Insect Cells			
Recombinant			
This Prokineticin 1 protein is labelled with His tag.			
(RQHHTCP			
Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a			
tein experts. n-specific process to			
r your order. Our			
ordering custom			

cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Protein is endotoxin free.

Grade:

Target:

Crystallography grade

Prokineticin 1 (Prok1)

Target Details

Alternative Name:	Prok1 (Prok1 Products)
Background:	Potently contracts gastrointestinal (GI) smooth muscle. Induces proliferation, migration and
	fenestration (the formation of membrane discontinuities) in capillary endothelial cells. Induces
	proliferation and differentiation, but not migration, of enteric neural crest cells. Directly
	influences neuroblastoma progression by promoting the proliferation and migration of
	neuroblastoma cells. Positively regulates PTGS2 expression and prostaglandin synthesis. May

Target Details

Storage Comment:

Expiry Date:

Target Details		
	play a role in placentation. May play a role in normal and pathological testis angiogenesis. {ECO:0000250 UniProtKB:P58294, ECO:0000269 PubMed:12746324,	
	ECO:0000269 PubMed:17324478, ECO:0000269 PubMed:17531315}.	
Molecular Weight:	10.6 kDa Including tag.	
UniProt:	Q14A28	
Application Details		
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.	
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	-80 °C	

Store at -80°C.

Unlimited (if stored properly)