antibodies

Datasheet for ABIN3121861 TAM41 Protein (AA 25-337) (His tag)

Image



Overview

Quantity:	1 mg
Target:	TAM41 (TAMM41)
Protein Characteristics:	AA 25-337
Origin:	Mouse
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Purification tag / Conjugate:	This TAM41 protein is labelled with His tag.
Application:	ELISA, Western Blotting (WB), Crystallization (Crys), SDS-PAGE (SDS)
Product Details	
Sequence:	SLAFAYGSAV YRQAGPSAHQ ENPMLDLVFT VDDPVAWHAM NLKKNWSHYS FLKLLGPRII
	SSIQNNYGAG VYFNPLIRCD GKLIKYGVIS TGTLIEDLLN WNNLYIAGRL QKPVKIVSMN

ENMALRAALD KNLRSAVTTA CLMLPESFSE EDLFIEIAGL SYSGDFRMVI GEEKSKVLNI

VKPNVGHFRE LYESILQKDP QVVYKMHQGQ LEIDKSPEGQ FTQLMTLPRT LQQQINHIMD

PPGRNRDVEE TLLQVAQDPD CGDVVRLAIS SIVRPSSIRQ STKGLFTAGM KKSVIYSSRK

LNKMWKGWMS KAS

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Mouse Tamm41 Protein (raised in E. Coli) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/4 | Product datasheet for ABIN3121861 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

Product Details	
	This protein is a made to order protein and will be made for the first time for your order. Our
	experts in the lab will ensure that you receive a correctly folded protein.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom
	made proteins from other companies is that there is no financial obligation in case the protein
	cannot be expressed or purified.
	In the unlikely event that the protein cannot be expressed or purified we do not charge anything
	(other companies might charge you for any performed steps in the expression process for
	custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression
	experiments or purification optimization).
	When you order this made-to-order protein you will only pay upon receival of the correctly
	folded protein. With no financial risk on your end you can rest assured that our experienced
	protein experts will do everything to make sure that you receive the protein you ordered.
	The concentration of our recombinant proteins is measured using the absorbance at 280nm.
	The protein's absorbance will be measured in several dilutions and is measured against its
	specific reference buffer.
	The concentration of the protein is calculated using its specific absorption coefficient. We use
	the Expasy's protparam tool to determine the absorption coefficient of each protein.
Purification:	Two step purification of proteins expressed in bacterial culture:
	1. In a first purification step, the protein is purified from the cleared cell lysate using three
	different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate
	fractions are analyzed by SDS-PAGE. 2. Protein containing fractions of the best purification are subjected to second purification step
	through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Sterility:	0.22 µm filtered
Endotoxin Level:	Endotoxin has not been removed. Please contact us if you require endotoxin removal.
Grade:	Crystallography grade
Target Details	
Target:	TAM41 (TAMM41)
Alternative Name:	Tamm41 (TAMM41 Products)
Dookaround	Cotalyzes the formation of CDD disculations $(CDD DAC)$ from phoenhotidis asid (DA) in the

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/4 | Product datasheet for ABIN3121861 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

Catalyzes the formation of CDP-diacylglycerol (CDP-DAG) from phosphatidic acid (PA) in the

Background:

Target Details	
	mitochondrial inner membrane. Required for the biosynthesis of the dimeric phospholipid cardiolipin, which stabilizes supercomplexes of the mitochondrial respiratory chain in the mitochondrial inner membrane (By similarity). {ECO:0000250}.
Molecular Weight:	36.2 kDa Including tag.
UniProt:	Q3TUH1
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)



Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 4/4 | Product datasheet for ABIN3121861 | 09/11/2023 | Copyright antibodies-online. All rights reserved.