
# antibodies .- online.com







# **HVCN1 Protein (AA 1-269) (Strep Tag)**



### Overview

Quantity:	1 mg
Target:	HVCN1
Protein Characteristics:	AA 1-269
Origin:	Mouse
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This HVCN1 protein is labelled with Strep Tag.
Application:	ELISA, SDS-PAGE (SDS), Western Blotting (WB)

## **Product Details**

## Sequence:

MTSHDPKAVT RRTKVAPTKR MSRFLKHFTV VGDDYHTWNV NYKKWENEEE EEEPAPTSAE GEGNAEGPDA EAGSASTPRQ SLDFRSRLRK LFSSHRFQVI IICLVVLDAL LVLAELLLDL KIIEPDEQDY AVTAFHYMSF AILVFFMLEI FFKIFVFRLE FFHHKFEILD AFVVVVSFVL DLVLLFKSHH FEALGLLILL RLWRVARIIN GIIISVKTRS ERQILRLKQI NIQLATKIQH LEFSCSEKEQ

EIERLNKLLK QNGLLGDVN

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

#### Characteristics:

Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- · Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.

- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

## Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
  protein production are removed, leaving only the protein production machinery and the
  mitochondria to drive the reaction. During our lysate completion steps, the additional
  components needed for protein production (amino acids, cofactors, etc.) are added to
  produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

### Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

## Purification:

Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):

- 1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

≥ 80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Endotoxin Level:

Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)

# **Target Details**

Target:	HVCN1
Alternative Name:	Hvcn1 (HVCN1 Products)
Background:	Voltage-gated hydrogen channel 1 (Hydrogen voltage-gated channel 1) (HV1) (Voltage sensor
	domain-only protein) (mVSOP),FUNCTION: Voltage-gated proton-selective channel that
	conducts outward proton currents in response to intracellular acidification. Lacks a canonical
	ion-channel pore domain and mediates proton permeability via its voltage sensor domain
	(PubMed:16556803, PubMed:19805063, PubMed:22569364, PubMed:23165764,
	PubMed:24584463). Provides for proton efflux that compensates for electron charge generated
	by NADPH oxidase activity either in the extracellular or phagosomal compartments, thus
	enabling the production of high levels of bactericidal reactive oxygen species during the
	respiratory burst (PubMed:19805063, PubMed:20026664, PubMed:24415791). Opens when
	the pH of airway surface liquid exceeds 7 and contributes to respiratory epithelial acid secretion
	to maintain pH in the mucosa (By similarity). {ECO:0000250 UniProtKB:Q96D96,
	ECO:0000269 PubMed:16556803, ECO:0000269 PubMed:19805063,
	ECO:0000269 PubMed:20026664, ECO:0000269 PubMed:22569364,
	ECO:0000269 PubMed:23165764, ECO:0000269 PubMed:24415791,
	ECO:0000269 PubMed:24584463}.
Molecular Weight:	31.2 kDa
UniProt:	Q3U2S8
Pathways:	Proton Transport
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a
	guarantee though.
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from
	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce
	even the most difficult-to-express proteins, including those that require post-translational
	modifications.
	During lysate production, the cell wall and other cellular components that are not required for
	·
	protein production are removed, leaving only the protein production machinery and the
	protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional

# **Application Details**

	something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)