antibodies.com

Datasheet for ABIN3122438 DCDC2 Protein (AA 1-475) (His tag)

Image



Overview

Quantity:	1 mg
Target:	DCDC2
Protein Characteristics:	AA 1-475
Origin:	Mouse
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Purification tag / Conjugate:	This DCDC2 protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA, Crystallization (Crys)

Product Details

Sequence:	MNGPSSRSSH LSQPVVKSVL VYRNGDPFFA GRRVVIHEKK VSSFDVFLKE VTGGVQAPFG
	AVRNIYTPRT GHRIRKLDQI ESGGNYVAGG PEAFKKLNYL DIGEIKKRPM EAVNTEVKPV
	IHSRINVSAR FRKSLHEPCT IFLIANGDLI SPASRLLIPK KALNQWDHVL QMVTEKITLR
	SGAVHRLYTL EGKLVESGAE LENGQFYVAV GRDKFKRLPY SELLFDKSAM RRPYGQKASS
	LPPMVGSRKS KGSGNYRQSK STIGSSDNSS PQPLKRKGKK DSNSEKPTKV KQSVKSKTSH
	QAIPDNGEGI FKAGAERSET RGAAEVQEDE DTQVEVPVDQ RPAEIVDEEE DGEKTSKDAN
	QKEDFSAMNG ETEDRGGSKA AGTSEQEEGI PDHGEKKSSP SRVNGGTDEE NGEELDQVAE
	ELQPTEDEKG KAEGDNSGQD EAGLDAQRPP RPEVTVTSPQ ENEENEANKA SSAVA
	Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a
	special request, please contact us.
Characteristics:	 Made in Germany - from design to production - by highly experienced protein experts. Mouse Dcdc2 Protein (raised in E. Coli) purified by multi-step, protein-specific process to

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/4 | Product datasheet for ABIN3122438 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

0.22 µm filtered
>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
 Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
 In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
Two step purification of proteins expressed in bacterial culture:
the Expasy's protparam tool to determine the absorption coefficient of each protein.
The concentration of the protein is calculated using its specific absorption coefficient. We use
The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
The concentration of our recombinant proteins is measured using the absorbance at 280nm.
protein experts will do everything to make sure that you receive the protein you ordered.
folded protein. With no financial risk on your end you can rest assured that our experienced
When you order this made-to-order protein you will only pay upon receival of the correctly
experiments or purification optimization).
custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression
(other companies might charge you for any performed steps in the expression process for
In the unlikely event that the protein cannot be expressed or purified we do not charge anything
cannot be expressed or purified.
made proteins from other companies is that there is no financial obligation in case the protein
The big advantage of ordering our made-to-order proteins in comparison to ordering custom
experts in the lab will ensure that you receive a correctly folded protein.
This protein is a made to order protein and will be made for the first time for your order. Our
• State-of-the-art algorithm used for plasmid design (Gene synthesis).

Product Details

 Target Details

 Target:
 DCDC2

 Alternative Name:
 Dcdc2 (DCDC2 Products)

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/4 | Product datasheet for ABIN3122438 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

Target Details	
Background:	Protein that plays a role in the inhibition of canonical Wnt signaling pathway. May be involved in neuronal migration during development of the cerebral neocortex. Involved in the control of ciliogenesis and ciliary length (By similarity). {ECO:0000250 UniProtKB:D3ZR10, ECO:0000250 UniProtKB:Q9UHG0}.
Molecular Weight:	52.9 kDa Including tag.
UniProt:	Q5DU00
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)



Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 4/4 | Product datasheet for ABIN3122438 | 09/11/2023 | Copyright antibodies-online. All rights reserved.