antibodies .- online.com





SNTB2 Protein (AA 1-520) (Strep Tag)



Go to Product pag

Overview

Quantity:	1 mg
Target:	SNTB2
Protein Characteristics:	AA 1-520
Origin:	Mouse
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This SNTB2 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Product Details

Sequence:

MAVWTRATKA GLVELLLRER WVRVVAELSG ESLSLTGDAA AVEPEPPAAA FNGLPNGGGG
ESLPGSPNRG LGPPSPPAPP RGPAGEASAS PPVRRVRVVK QEAGGLGISI KGGRENRMPI
LISKIFPGLA ADQSRALRLG DAILSVNGTD LRQATHDQAV QALKRAGKEV LLEVKFIREV
TPYIKKPSLV SDLPWEGASP QSPSFSGSED SGSPKHQNTT KDRKVIPLKM CFAARNLSMP
DLENRLIELH SPDSRNTLIL RCKDTATAHS WFVAIHTNIM ALLPQVLAEL NAMLGATSTA
GGSKEVKHIA WLAEQAKLDG GRQQWRPVLM AVTEKDLLLY DCMPWTRDAW ASPCHSYPLV
ATRLVHSGSG CRSPSLGSDL TFATRTGSRQ GIEMHLFRVE THRDLSTWTR ILVQGCHAAA
ELIKEVSLGC TLSGQEVRFT VHYEHGFTIT RDNGGASSIL YRYPFERLKM SADDGIRNLY
LDFGGPEGEL TMDLHSCPKP IVFVLHTFLS AKVTRMGLLV

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):

- 1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.
- 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and

Product Details

Purity: ≥ 80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot Endotoxin Level: Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg) Target Details Target: SNTB2 Alternative Name: Sntb2 (SNTB2 Products) Background: Beta-2-syntrophin (59 kDa dystrophin-associated protein A1 basic component 2) (Synt (SNT3) (Syntrophin-like) (SNTL),FUNCTION: Adapter protein that binds to and probably organizes the subcellular localization of a variety of membrane proteins. May link varie receptors to the actin cytoskeleton and the dystrophin glycoprotein complex. May play the regulation of secretory granules via its interaction with PTPRN (By similarity). (ECO.0000250). Molecular Weight: 56.4 kDa UniProt: Q61235 Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functiona as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Comment: ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained in Nicotiana tabacum c.v This contains all the protein expression machinery needed to even the most difficult-to-express proteins, including those that require post-translatio modifications. During lysate production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional						
Target: SNTB2 Alternative Name: Sntb2 (SNTB2 Products) Beta-2-syntrophin (59 kDa dystrophin-associated protein A1 basic component 2) (Synt (SNT3) (Syntrophin-like) (SNTL),FUNCTION: Adapter protein that binds to and probably organizes the subcellular localization of a variety of membrane proteins. May link varic receptors to the actin cytoskeleton and the dystrophin glycoprotein complex. May play the regulation of secretory granules via its interaction with PTPRN (By similarity). (ECO.0000250). Molecular Weight: 56.4 kDa UniProt: Q61235 Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functiona as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Comment: ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained: Nicotiana tabacum c.v This contains all the protein expression machinery needed to rever the most difficult-to-express proteins, including those that require post-translatio modifications. During lysate production, the cell wall and other cellular components that are not require protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional	atograp	natogra	raphy ar	nd Wes	tern Blot	t.
Target: SNTB2 Alternative Name: Sntb2 (SNTB2 Products) Background: Beta-2-syntrophin (59 kDa dystrophin-associated protein A1 basic component 2) (Synt (SNT3) (Syntrophin-like) (SNTL),FUNCTION: Adapter protein that binds to and probably organizes the subcellular localization of a variety of membrane proteins. May link varie receptors to the actin cytoskeleton and the dystrophin glycoprotein complex. May play the regulation of secretory granules via its interaction with PTPRN (By similarity). (ECO:0000250). Molecular Weight: 56.4 kDa UniProt: Q61235 Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functiona as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Comment: ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained in Nicotiana tabacum c.v This contains all the protein expression machinery needed to give the most difficult-to-express proteins, including those that require post-translatio modifications. During lysate production, the cell wall and other cellular components that are not require protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional						
Alternative Name: Sntb2 (SNTB2 Products) Background: Beta-2-syntrophin (59 kDa dystrophin-associated protein A1 basic component 2) (Synt (SNT3) (Syntrophin-like) (SNTL),FUNCTION: Adapter protein that binds to and probably organizes the subcellular localization of a variety of membrane proteins. May link varie receptors to the actin cytoskeleton and the dystrophin glycoprotein complex. May play the regulation of secretory granules via its interaction with PTPRN (By similarity). (ECO:0000250). Molecular Weight: 56.4 kDa UniProt: Q61235 Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functiona as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Comment: ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained. Nicotiana tabacum c.v This contains all the protein expression machinery needed to even the most difficult-to-express proteins, including those that require post-translatio modifications. During lysate production, the cell wall and other cellular components that are not require protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional						
Background: Beta-2-syntrophin (59 kDa dystrophin-associated protein A1 basic component 2) (Synt (SNT3) (Syntrophin-like) (SNTL),FUNCTION: Adapter protein that binds to and probably organizes the subcellular localization of a variety of membrane proteins. May link varior receptors to the actin cytoskeleton and the dystrophin glycoprotein complex. May play the regulation of secretory granules via its interaction with PTPRN (By similarity). (ECO:0000250). Molecular Weight: 56.4 kDa UniProt: Q61235 Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Comment: ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained. Nicotiana tabacum c.v This contains all the protein expression machinery needed to even the most difficult-to-express proteins, including those that require post-translatio modifications. During lysate production, the cell wall and other cellular components that are not requiperotein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional						
(SNT3) (Syntrophin-like) (SNTL), FUNCTION: Adapter protein that binds to and probably organizes the subcellular localization of a variety of membrane proteins. May link varior receptors to the actin cytoskeleton and the dystrophin glycoprotein complex. May play the regulation of secretory granules via its interaction with PTPRN (By similarity). (ECO:0000250). Molecular Weight: 56.4 kDa UniProt: Q61235 Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functiona as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Comment: ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained to living the protein expression machinery needed to live even the most difficult-to-express proteins, including those that require post-translatio modifications. During lysate production, the cell wall and other cellular components that are not requiper protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional						
UniProt: Optication Details Application Notes: In addition to the applications listed above we expect the protein to work for functional as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Comment: ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained in Nicotiana tabacum c.v This contains all the protein expression machinery needed to preven the most difficult-to-express proteins, including those that require post-translation modifications. During lysate production, the cell wall and other cellular components that are not required protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional	in that b rane pro coproteir	ein that orane p coprote	nt binds proteins tein cor	to and s. May I mplex. N	probably link varic May play	/ ous
Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Comment: ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained. Nicotiana tabacum c.v This contains all the protein expression machinery needed to even the most difficult-to-express proteins, including those that require post-translation modifications. During lysate production, the cell wall and other cellular components that are not require protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional						
Application Notes: In addition to the applications listed above we expect the protein to work for functional as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Comment: ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained. Nicotiana tabacum c.v This contains all the protein expression machinery needed to preven the most difficult-to-express proteins, including those that require post-translation modifications. During lysate production, the cell wall and other cellular components that are not require protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional						
as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Comment: ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained. Nicotiana tabacum c.v This contains all the protein expression machinery needed to peven the most difficult-to-express proteins, including those that require post-translatio modifications. During lysate production, the cell wall and other cellular components that are not require protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional						
Nicotiana tabacum c.v This contains all the protein expression machinery needed to peven the most difficult-to-express proteins, including those that require post-translatio modifications. During lysate production, the cell wall and other cellular components that are not requiperotein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional						
components needed for protein production (amino acids, cofactors, etc.) are added to something that functions like a cell, but without the constraints of a living system - all to needed is the DNA that codes for the desired protein!	ssion managed that red mponen roduction state cofactor	ession rethat removes that removes the component of the control of	machir require nents the stion main steps, tors, etc.	nery need post-treachinery the additional are a	eded to parameter and required and the distinguishment of the distin	produc
needed is the DNA that codes for the desired protein! Restrictions: For Research Use only						

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)