antibodies -online.com





GRIK5 Protein (AA 644-803) (His tag)



Image



Go to Product page

\sim				
	11/6	٦r١	/10	۱۸.

Quantity:	1 mg
Target:	GRIK5
Protein Characteristics:	AA 644-803
Origin:	Mouse
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Purification tag / Conjugate:	This GRIK5 protein is labelled with His tag.
Application:	SDS-PAGE (SDS), Crystallization (Crys), ELISA, Western Blotting (WB)
Product Details	
Sequence:	TVQRMEVPVE SADDLADQTN IEYGTIHAGS TMTFFQNSRY QTYQRMWNYM QSKQPSVFVK
	STEEGIARVL NSRYAFLLES TMNEYHRRLN CNLTQIGGLL DTKGYGIGMP LGSPFRDEIT
	LAILQLQENN RLEILKRKWW EGGRCPKEED HRAKGLGMEN
	Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a
	special request, please contact us.
Characteristics:	 Made in Germany - from design to production - by highly experienced protein experts. Mouse Grik5 Protein (raised in E. Coli) purified by multi-step, protein-specific process to ensure crystallization grade.
	State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made to order protein and will be made for the first time for your order. Our
	experts in the lab will ensure that you receive a correctly folded protein.

made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in bacterial culture:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

CDIVE

Endotoxin Level:

Endotoxin has not been removed. Please contact us if you require endotoxin removal.

Grade:

Crystallography grade

Target Details

l arget:	GRIK5	
Alternative Name:	Grik5 (GRIK5 Products)	
Background:	Receptor for glutamate. L-glutamate acts as an excitatory neurotransmitter at many synapses	
	in the central nervous system. The postsynaptic actions of Glu are mediated by a variety of	
	receptors that are named according to their selective agonists. This receptor binds kainate >	
	quisqualate = glutamate >> AMPA.	

Target Details

Molecular Weight:	19.5 kDa Including tag.
UniProt:	Q61626
Pathways:	Carbohydrate Homeostasis, Synaptic Membrane, Maintenance of Protein Location, Synaptic Vesicle Exocytosis
Application Details	

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies	
	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee	
	though.	
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the	
	recombinant protein with the default tag will be insoluble our protein lab may suggest a higher	
	molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible	
	options with you in detail to assure that you receive your protein of interest.	
Restrictions:	For Research Use only	

Handling

Format:	Liquid	
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	-80 °C	
Storage Comment:	Store at -80°C.	
Expiry Date:	Unlimited (if stored properly)	



Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process