

Datasheet for ABIN3123126

ALDH1A2 Protein (AA 1-518) (Strep Tag)



Go to Product page

_					
	1//	r	Vİ	\triangle	۸/
	V		VI		/ V

Quantity:	250 μg
Target:	ALDH1A2
Protein Characteristics:	AA 1-518
Origin:	Mouse
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This ALDH1A2 protein is labelled with Strep Tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA

Product Details	
Brand:	AliCE®
Sequence:	MTSSEIAMPG EVKADPAALM ASLQLLPSPT PNLEIKYTKI FINNEWQNSE SGRVFPVCNP
	ATGEQVCEVQ EADKVDIDKA VQAARLAFSL GSVWRRMDAS ERGRLLDKLA DLVERDRATL
	ATMESLNGGK PFLQAFYIDL QGVIKTLRYY AGWADKIHGM TIPVDGDYFT FTRHEPIGVC
	GQIIPWNFPL LMFTWKIAPA LCCGNTVVIK PAEQTPLSAL YMGALIKEAG FPPGVVNILP
	GYGPTAGAAI ASHIGIDKIA FTGSTEVGKL IQEAAGRSNL KRVTLELGGK SPNIIFADAD
	LDYAVEQAHQ GVFFNQGQCC TAGSRIFVEE SIYEEFVKRS VERAKRRIVG SPFDPTTEQG
	PQIDKKQYNK VLELIQSGVA EGAKLECGGK GLGRKGFFIE PTVFSNVTDD MRIAKEEIFG
	PVQEILRFKT MDEVIERANN SDFGLVAAVF TNDINKALMV SSAMQAGTVW INCYNALNAQ
	SPFGGFKMSG NGREMGEFGL REYSEVKTVT VKIPQKNS
	Sequence without tag. The proposed Strep-Tag is based on experience s with the expression
	system, a different complexity of the protein could make another tag necessary. In case you

have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- · Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:	One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®).
Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).
Grade:	custom-made

Target Details

Target:	ALDH1A2
Alternative Name:	Aldh1a2 (ALDH1A2 Products)
Background:	Retinal dehydrogenase 2 (RALDH 2) (RalDH2) (EC 1.2.1.36) (Aldehyde dehydrogenase family 1
	member A2) (ALDH1A2) (Retinaldehyde-specific dehydrogenase type 2) (RALDH(II)),FUNCTION
	Catalyzes the NAD-dependent oxidation of aldehyde substrates, such as all-trans-retinal and all-
	trans-13,14-dihydroretinal, to their corresponding carboxylic acids, all-trans-retinoate and all-
	trans-13,14-dihydroretinoate, respectively (PubMed:15911617, PubMed:8797830). Retinoate
	signaling is critical for the transcriptional control of many genes, for instance it is crucial for
	initiation of meiosis in both male and female (Probable). Recognizes retinal as substrate, both
	in its free form and when bound to cellular retinol-binding protein (By similarity). Lacks activity
	with benzaldehyde, acetaldehyde and octanal (PubMed:8797830). Displays complete lack of
	activity with citral (By similarity). {ECO:0000250 UniProtKB:Q63639,
	ECO:0000269 PubMed:15911617, ECO:0000269 PubMed:8797830,
	ECO:0000305 PubMed:22075477, ECO:0000305 PubMed:8797830}.
Molecular Weight:	56.6 kDa
UniProt:	Q62148
Pathways:	Retinoic Acid Receptor Signaling Pathway
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a
	guarantee though.
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from
	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce
	even the most difficult-to-express proteins, including those that require post-translational
	modifications.
	During lysate production, the cell wall and other cellular components that are not required for
	protein production are removed, leaving only the protein production machinery and the
	mitochondria to drive the reaction. During our lysate completion steps, the additional
	components needed for protein production (amino acids, cofactors, etc.) are added to produce
	something that functions like a cell, but without the constraints of a living system - all that's
	needed is the DNA that codes for the desired protein!
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol Might differ depending on protein.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months