

Datasheet for ABIN3123547

Spin2c Protein (AA 1-257) (Strep Tag)



Overviev	

50 μg
pin2c (SPIN2C)
A 1-257
louse
ell-free protein synthesis (CFPS)
ecombinant
his Spin2c protein is labelled with Strep Tag.
LISA, SDS-PAGE (SDS), Western Blotting (WB)
р Л e e

Purification tag / Conjugate:	This Spin2c protein is labelled with Strep Tag.
Application:	ELISA, SDS-PAGE (SDS), Western Blotting (WB)
Product Details	
Brand:	AliCE®
Sequence:	MKTPHKKGAA KEQMGEGVGH HIGSTTIKKK KASQKRQRSR SSSRRSIVGC RISHGWKEGD
	EPITQWKGTV LDQVPINPSL YLVKYDGIDC VYGLELHRDE RILKLKILPD KVSFSGVSDV
	RLANTIIGKA VEHMFEGEHG SKDEWRGMVL AQAPIMNAWF YITYERDPVL YMYQLLDDYK
	EGDLRIMPES SASPPADREP EGVVDGLIGK HVEYTKEDGS KRTGKVIHQV KAKPSVYFIK
	FDDDFHIYVY DLVKKNS
	Sequence without tag. The proposed Strep-Tag is based on experience s with the expression
	system, a different complexity of the protein could make another tag necessary. In case you
	have a special request, please contact us.
Characteristics:	Key Benefits:
	Made in Germany - from design to production - by highly experienced protein experts.

- · Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:	One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®).
Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).
Grade:	custom-made
Target Details	

Target: Spin2c (SPIN2C) Alternative Name: Spin2c

Target Details	
Background:	Spindlin-2C (Spindlin-like protein 2C) (SPIN-2) (SPIN-2C), FUNCTION: May be involved in the regulation of cell cycle progression. Exhibits H3K4me3-binding activity. {ECO:0000250 UniProtKB:Q99865}.
Molecular Weight:	29.2 kDa
UniProt:	Q6NVE3
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol Might differ depending on protein.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
01 0 1	Otania at 00°0

Store at -80°C.

12 months

Storage Comment:

Expiry Date: