# antibodies -online.com





## RBM15B Protein (AA 1-887) (Strep Tag)



#### Go to Product page

#### Overview

Quantity:	1 mg
Target:	RBM15B
Protein Characteristics:	AA 1-887
Origin:	Mouse
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This RBM15B protein is labelled with Strep Tag.
Application:	ELISA, SDS-PAGE (SDS), Western Blotting (WB)

#### **Product Details**

#### Sequence:

MKRQSERDSS PSGRGSSSSA KRPREREREA EAGGRRAAHK ASGGTKHPVP ARARDKPRGS
GGGGGHRDGR AAGDANHRAS GGRSSGAPGG GGRTGKASGD PGAGGASPRA SPLPPPPPPP
GAEPAGPGST AAPEYKTLLI SSLSPALPAE HLEDRLFHQF KRFGEISLRL SHTPELGRVA
YVNFRHPQDA REARQHALAR QLLLYDRPLK VEPVYLRGGG SSRRSSSSSA AASTPPPGPP
APADPLGYLP LHGGYQYKQR SLSPVAAPPL REPRARHAAA AFALDAAAAA AVGLSRERAL
DYYGLYDDRG RPYGYQAVCE EDLMPEDDQR ATRNLFIGNL DHSVSEVELR RAFEKYGIIE
EVVIKRPARG QGGAYAFLKF QNLDMAHRAK VAMSGRVIGR NPIKIGYGKA NPTTRLWVGG
LGPNTSLAAL AREFDRFGSI RTIDHVKGDS FAYIQYESLD AAQAACAKMR GFPLGGPDRR
LRVDFAKAEE TRYPQQYQPS PLPVHYELLT DGYTRHRNLD ADLRVRDRTP PHLLYSDRDR
TFLEGDWTSL SKSSDRRNSL EGYSRSVRSR SGERWGGDGD RSIAKPWEER RKRRSLSSDR
GRTTHSPYEE RSRTKGGGQQ SERGSDRTPE RSRKENHSSE GTKESGSNSL SNSRHGAEER
SHHHHHHEAP DSSHGKKTRE SERNHRTTEA EPKTLEEPKH ETKKLKTLSE YAQTLQLGWN

GLLVLKNSCF PTSMHILEGD QGVISGLLKD HPSGSKLTQL KIAQRLRLDQ PKLDEVTRRI KQGSPNGYAV LLAIQSTPSG PGAEGMPVVE PGLQRRLLRN LVSYLKQKQA AGVISLPVGG SKGRDNTGML YAFPPCDFSQ QYLQSALRTL GKLEEEHMVI VIVRDTA

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

#### Characteristics:

#### Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

#### Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
  protein production are removed, leaving only the protein production machinery and the
  mitochondria to drive the reaction. During our lysate completion steps, the additional
  components needed for protein production (amino acids, cofactors, etc.) are added to
  produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

#### Concentration:

- · The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

#### **Product Details**

# Purification: Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®): 1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE. 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot. ≥ 80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot. Purity: Endotoxin Level: Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg) Grade: Crystallography grade Target Details Target: RBM15B Rbm15b (RBM15B Products) Alternative Name: Background: Putative RNA-binding protein 15B (RNA-binding motif protein 15B),FUNCTION: RNA-binding protein that acts as a key regulator of N6-methyladenosine (m6A) methylation of RNAs, thereby regulating different processes, such as alternative splicing of mRNAs and X chromosome inactivation mediated by Xist RNA. Associated component of the WMM complex, a complex that mediates N6-methyladenosine (m6A) methylation of RNAs, a modification that plays a role in the efficiency of mRNA splicing and RNA processing. Plays a key role in m6A methylation, possibly by binding target RNAs and recruiting the WMM complex. Involved in random X inactivation mediated by Xist RNA: acts by binding Xist RNA and recruiting the WMM complex, which mediates m6A methylation, leading to target YTHDC1 reader on Xist RNA and promoting transcription repression activity of Xist. Functions in the regulation of alternative or illicit splicing, possibly by regulating m6A methylation. Inhibits pre-mRNA splicing. Also functions as a mRNA export factor by acting as a cofactor for the nuclear export receptor NXF1. {ECO:0000250|UniProtKB:Q8NDT2}. Molecular Weight: 97.1 kDa UniProt: Q6PHZ5 **Application Details Application Notes:** In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a

### **Application Details**

Application betails		
	guarantee though.	
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce	
	even the most difficult-to-express proteins, including those that require post-translational modifications.	
	During lysate production, the cell wall and other cellular components that are not required for	
	protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional	
	components needed for protein production (amino acids, cofactors, etc.) are added to produce	
	something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	-80 °C	
Storage Comment:	Store at -80°C.	
Expiry Date:	Unlimited (if stored properly)	