

Datasheet for ABIN3123895

DDX55 Protein (AA 1-600) (Strep Tag)



Go to Product page

_				
()	ve.	rv/	101	Λ

Quantity:	1 mg
Target:	DDX55
Protein Characteristics:	AA 1-600
Origin:	Mouse
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This DDX55 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Product Details

Sequence:

MEHVTEGAWE SLQVPLHPRV LGALRELGFP HMTPVQSATI PLFMKNKDVA AEAVTGSGKT
LAFVIPILEI LLRREEKLKK NQVGAIVITP TRELAIQIDE VLSHFTKHFP QFSQILWIGG RNPGEDVERF
KQHGGNIIVA TPGRLEDMFR RKAEGLDLAS CVKSLDVLVL DEADRLLDMG FEASINTILE
FLPKQRRTGL FSATQTQEVE NLVRAGLRNP VRISVKEKGV AASSTQKTPS RLENHYMICK
ADEKFNQLVH FLRSRQQEKH LVFFSTCACV EYYGKALEAL LKKVKILCIH GKMKYKRNKI
FMEFRKLQSG ILVCTDVMAR GIDIPEVNWV LQYDPPSNAS AFVHRCGRTA RIGHGGSALV
FLLPMEEAYI NFLAINQKCP LQEMSLQRNT IDLLPKLRAM ALADRAVFEK GMKAFVSFVQ
AYAKHECSLI FRLKDLDFAG LARGFALLRM PRMPELRGKQ FPDFVPVDID TDTIPFKDKI
REKQRQKLLE QKRKERSENE GRKKFIKNKA WSKQKAKKER KKKMNAKRKK DEGSDIDDED
MEELLNDTRL LKKFKKGKIT EEEFEKGLLT SAKRTVQLTD LGVSDLEEDS

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you

have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- · Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:

One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®).

Purity:

> 80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).

Target Details

Target:	DDX55	
Alternative Name:	Ddx55 (DDX55 Products)	
Background:	ATP-dependent RNA helicase DDX55 (EC 3.6.4.13) (DEAD box protein 55),FUNCTION: Probable	
	ATP-binding RNA helicase.	
Molecular Weight:	68.5 kDa	
UniProt:	Q6ZPL9	
Application Details		
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies	
	as well. As the protein has not been tested for functional studies yet we cannot offer a	
	guarantee though.	
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from	
	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce	
	even the most difficult-to-express proteins, including those that require post-translational	
	modifications.	
	During lysate production, the cell wall and other cellular components that are not required for	
	protein production are removed, leaving only the protein production machinery and the	
	mitochondria to drive the reaction. During our lysate completion steps, the additional	
	components needed for protein production (amino acids, cofactors, etc.) are added to produce	
	something that functions like a cell, but without the constraints of a living system - all that's	
	needed is the DNA that codes for the desired protein!	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request,	
	please contact us.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	-80 °C	
Storage Comment:	Store at -80°C.	
Expiry Date:	Unlimited (if stored properly)	