antibodies -online.com





SDR16C5 Protein (AA 1-309) (rho-1D4 tag)





Go to Product page

\sim					
()	VE	۲۱	/1	\triangle	Λ

1 mg			
SDR16C5 (RDHE2)			
AA 1-309			
Mouse			
Insect Cells			
Recombinant			
This SDR16C5 protein is labelled with rho-1D4 tag.			
Western Blotting (WB), ELISA, SDS-PAGE (SDS), Crystallization (Crys)			
MSQNLESVKN LLVFLGKSLL SVLEALLFHV ISKPRKNVAG EIVLITGAGS GLGRLLALQF			
ARLGAVLVLW DVNKEANDET HQLAREAGAA RVHAYTCDCS RREEVYRVAD QVKKEVGDVS			
ILINNAGIVT GRNFLDCPDD LMEKSFDVNF KAHLWMYKAF LPAMIANNHG HLVCISSSAG			
LIGVNGLSDY CASKFAALGF AESMFIETLA KKQWGIKTTI VCPFFIKTGM FEGCTTKCPT			
LLPILDPEYA VRKIIDAILQ EQLYLYMPKF LYFIVFLKSI LPIKTGILIA DYLGVFHMTE GFTGQKKKT			
Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a			
special request, please contact us.			
Made in Germany - from design to production - by highly experienced protein experts.			
Mouse Sdr16c5 Protein (raised in Insect Cells) purified by multi-step, protein-specific process			
to ensure crystallization grade.			
State-of-the-art algorithm used for plasmid design (Gene synthesis).			

experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Three step purification of membrane proteins expressed in baculovirus infected SF9 insect cells:

- 1. Membrane proteins are fractioned by ultracentrifugation and subsequently solubilized with different detergents (detergent screen). Samples are analyzed by Western blot.
- 2. The best performing detergent is used for solubilization and the proteins are purified via their rho1D4 tag via two rho1D4 antibody columns: one DTT resistant, the other one not. Eluate fractions are analyzed by Western blot.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatograph. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity: >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility: 0.22 µm filtered

Endotoxin Level: Protein is endotoxin-free.

Grade: Crystallography grade

Target Details

Target: SDR16C5 (RDHE2)

Alternative Name: Sdr16c5 (RDHE2 Products)

Target Details

Expiry Date:

Target Details		
Background:	Oxidoreductase with strong preference for NAD. Active in both the oxidative and reductive directions. Oxidizes all-trans-retinol in all-trans-retinaldehyde. No activity was detected with 11-cis-retinol or 11-cis-retinaldehyde as substrates with either NAD(+)/NADH or NADP(+)/NADPH (By similarity). {ECO:0000250}.	
Molecular Weight:	35.4 kDa Including tag.	
UniProt:	Q7TQA3	
Application Details		
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.	
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	-80 °C	
Storage Comment:	Store at -80°C.	

Unlimited (if stored properly)



Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process