antibodies .- online.com





SLC20A2 Protein (AA 235-483) (His tag)



Go to Product page

()	1/0	r\ /1	014	
()	ve	I V I	-v	V

Quantity:	1 mg	
Target:	SLC20A2	
Protein Characteristics:	AA 235-483	
Origin:	Mouse	
Source:	Escherichia coli (E. coli)	
Protein Type:	Recombinant	
Purification tag / Conjugate:	This SLC20A2 protein is labelled with His tag.	
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS), Crystallization (Crys)	
Product Details		
Sequence:	CPWMKRKIAG RLEKESALSR ASDESLRKVQ EAESPGFKEL PGAKPSDDSA VPLTSLAGEA	
	VGASEGTSAG NHPRASYGRA LSMTHGSAKS PISNGTFGFE GHMRNDGHVY HTVHKDSGLY	
	KDLLHKIHVD RGSEEKPTQE NNYRLLRRNN SYTCYTAAIC GMPVHTTFRA SDTSSAPEDS	
	EKLVGDSVSY SKKRLRYDSY SSYCNAVAEA EIEAEEGGVE MRLASELADP DRPHEDPTEE	
	EKEEKDSAE	
	Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a	
	special request, please contact us.	
Characteristics:	 Made in Germany - from design to production - by highly experienced protein experts. Mouse Slc20a2 Protein (raised in E. Coli) purified by multi-step, protein-specific process to ensure crystallization grade. 	
	State-of-the-art algorithm used for plasmid design (Gene synthesis).	
	This protein is a made to order protein and will be made for the first time for your order. Our	

experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in bacterial culture:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 um filtered

Endotoxin Level:

Endotoxin has not been removed. Please contact us if you require endotoxin removal.

Grade:

Crystallography grade

Target Details

Target:	SLC20A2
Alternative Name:	Slc20a2 (SLC20A2 Products)
Background:	Sodium-phosphate symporter which seems to play a fundamental housekeeping role in
	phosphate transport by absorbing phosphate from interstitial fluid for normal cellular functions

Target Details

such as cellular metabolism, signal transduction, and nucleic acid and lipid synthesis. In vitro,
sodium-dependent phosphate uptake is not siginificantly affected by acidic and alkaline
conditions, however sodium-independent phosphate uptake occurs at acidic conditions. May
play a role in extracellular matrix, cartilage and vascular calcification. Functions as a retroviral
receptor (By similarity). {ECO:0000250, ECO:0000269 PubMed:11003594}.

Molecular Weight:

28.2 kDa Including tag.

UniProt:

Q80UP8

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee

though.

Comment:

Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.

Restrictions:

For Research Use only

Unlimited (if stored properly)

Handling

Expiry Date:

Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.