

Datasheet for ABIN3124692

Bestrophin 2 Protein (BEST2) (AA 1-508) (Strep Tag)



Overview

Quantity:	250 μg
Target:	Bestrophin 2 (BEST2)
Protein Characteristics:	AA 1-508
Origin:	Mouse
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This Bestrophin 2 protein is labelled with Strep Tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA

Product Details	
Brand:	AliCE®
Sequence:	MTVTYTARVA NARFGGFSQL LLLWRGSIYK LLWRELLCFL GLYMALSAAY RFLLAEEQKR
	YFEKLVIYCD QYASLIPVSF VLGFYVTLVV HRWWNQYLCM PLPDALMCIV AGTVHGRDDR
	GRLYRRTLMR YAGLSAVLIL RSVSTAVFKR FPTIDHVVEA GFMTREERKK FENLNSSYNK
	YWVPCVWFSS LAAQARREGR IRDNSALKLL LEELNVFRSK CGMLFHYDWI SIPLVYTQVV
	TIAVYSYFLA CLIGRQFLDP AQGYKDHTLD LCVPIFTLLQ FFFYAGWLKV AEQLINPFGE
	DDDDFETNFL IDRNFQVSML AVDEMYDDLA MLEKDLYWDA AEARAPYTAA TAFLLQQPSF
	QGSTFDIALA KEDMQFQRLD GVDGPLGEVH GDFLQRLLPA GAGSVGPLGR RLSLLRRKNS
	CVSEASTAAS CGCAGAADGG GVECGCGDPL LDPSLREPEL EPPACPEPPA PIPGPTPEPF
	TTVSIPGPRA PAPPWLPSPI GEEEESPA
	Sequence without tag. The proposed Strep-Tag is based on experience s with the expression
	system, a different complexity of the protein could make another tag necessary. In case you

have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- · Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:	One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®).
Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).
Grade:	custom-made

Target Details

Bestrophin 2 (BEST2)
Best2 (BEST2 Products)
Bestrophin-2 (Vitelliform macular dystrophy 2-like protein 1),FUNCTION: Forms calciumsensitive chloride channels. Permeable to bicarbonate. {ECO:0000269 PubMed:18400985}.
57.0 kDa
Q8BGM5
In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional
components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!
For Research Use only
Liquid
The buffer composition is at the discretion of the manufacturer. Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol Might differ depending on protein.
Avoid repeated freeze-thaw cycles.
-80 °C
Store at -80°C.
12 months