antibodies.com

Datasheet for ABIN3124863 CDCA8 Protein (AA 1-289) (His tag)

Image



Overview

Quantity:	1 mg
Target:	CDCA8
Protein Characteristics:	AA 1-289
Origin:	Mouse
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Purification tag / Conjugate:	This CDCA8 protein is labelled with His tag.
Application:	ELISA, SDS-PAGE (SDS), Western Blotting (WB), Crystallization (Crys)
Product Details	
Sequence:	MAPKKRSSRG TRTNTLRSRK LASFLKDFDR EVQVRTKQIE SDRQTLLKEV ENLYNIEILR
	LPKALQGMKW LDYFALGGNK QALEEAAKAD RDITEINNLT AEAIQTPLKS VKKRKVIEVE
	ESIKEEEEEE EEGGGGGGRT KKSHKNLRSA KVKRCLPSKK RTQSIQGRGR SKRLSHDFVT
	PAMSRLEPSL VKPTPGMTPR FDSRVFKTPG LRTPAAKEQV YNISINGSPL ADSKEISLSV
	PIGGGASLRL LASDLQRIDI AQLNPEALGN IRKLSSRLAQ ICSSIRTGR
	Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a
	special request, please contact us.
Characteristics:	 Made in Germany - from design to production - by highly experienced protein experts. Mouse Cdca8 Protein (raised in E. Coli) purified by multi-step, protein-specific process to ensure crystallization grade. State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made to order protein and will be made for the first time for your order. Our

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/4 | Product datasheet for ABIN3124863 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

Grade:	Crystallography grade
Sterility: Endotoxin Level:	0.22 µm filtered Endotoxin has not been removed. Please contact us if you require endotoxin removal.
Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Purification:	 Two step purification of proteins expressed in bacterial culture: 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE. 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
	folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer. The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.
	 experts in the lab will ensure that you receive a correctly folded protein. The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified. In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization). When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your and you can not appured that our experimented.

Target Details

Target:	CDCA8
Alternative Name:	Cdca8 (CDCA8 Products)
Background:	Component of the chromosomal passenger complex (CPC), a complex that acts as a key regulator of mitosis. The CPC complex has essential functions at the centromere in ensuring

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/4 | Product datasheet for ABIN3124863 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

Target Details

	correct chromosome alignment and segregation and is required for chromatin-induced
	microtubule stabilization and spindle assembly. In the complex, it may be required to direct the
	CPC to centromeric DNA. Major effector of the TTK kinase in the control of attachment-error-
	correction and chromosome alignment (By similarity). {ECO:0000250}.
Molecular Weight:	33.2 kDa Including tag.
UniProt:	Q8BHX3
Pathways:	Cell Division Cycle, M Phase
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee
	though.
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the
	recombinant protein with the default tag will be insoluble our protein lab may suggest a higher
	molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible
	options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)



Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 4/4 | Product datasheet for ABIN3124863 | 09/11/2023 | Copyright antibodies-online. All rights reserved.