antibodies -online.com





IL-33 Protein (AA 102-266) (His tag)



Image



Go to Product page

_					
U	V	er	V	Ie	W

Overview	
Quantity:	1 mg
Target:	IL-33 (IL33)
Protein Characteristics:	AA 102-266
Origin:	Mouse
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Purification tag / Conjugate:	This IL-33 protein is labelled with His tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB), ELISA, Crystallization (Crys)
Product Details	
Sequence:	AASVDTLSIQ GTSLLTQSPA SLSTYNDQSV SFVLENGCYV INVDDSGKDQ EQDQVLLRYY
	ESPCPASQSG DGVDGKKLMV NMSPIKDTDI WLHANDKDYS VELQRGDVSP PEQAFFVLHK
	KSSDFVSFEC KNLPGTYIGV KDNQLALVEE KDESCNNIMF KLSKI
	Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a
	special request, please contact us.
Characteristics:	 Made in Germany - from design to production - by highly experienced protein experts. Mouse II33 Protein (raised in E. Coli) purified by multi-step, protein-specific process to ensure crystallization grade. State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made to order protein and will be made for the first time for your order. Our
	experts in the lab will ensure that you receive a correctly folded protein.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom

made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in bacterial culture:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

11 22 (11 22)

Endotoxin Level:

Endotoxin has not been removed. Please contact us if you require endotoxin removal.

Grade:

Toract

Crystallography grade

Target Details

rarget.	IL-33 (IL33)
Alternative Name:	II33 (IL33 Products)
Background:	Cytokine that binds to and signals through the IL1RL1/ST2 receptor which in turn activates NF-
	kappa-B and MAPK signaling pathways in target cells. Involved in the maturation of Th2 cells
	inducing the secretion of T-helper type 2-associated cytokines. Also involved in activation of
	mast cells, basophils, eosinophils and natural killer cells. Acts as a chemoattractant for Th2

	cells, and may function as an "alarmin", that amplifies immune responses during tissue injury.,		
	In quiescent endothelia the uncleaved form is constitutively and abundantly expressed, and		
	acts as a chromatin-associated nuclear factor with transcriptional repressor properties, it may		
	sequester nuclear NF-kappaB/RELA, lowering expression of its targets. This form is rapidely		
	lost upon angiogenic or proinflammatory activation.		
Molecular Weight:	ht: 19.2 kDa Including tag.		
UniProt:	Q8BVZ5		
Pathways:	Production of Molecular Mediator of Immune Response		
Application Details			
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies		
	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee		
	though.		
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the		
	recombinant protein with the default tag will be insoluble our protein lab may suggest a higher		
	molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible		
	options with you in detail to assure that you receive your protein of interest.		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.		
Handling Advice:	Avoid repeated freeze-thaw cycles.		
Storage:	-80 °C		
Storage Comment:	Store at -80°C.		
Expiry Date:	Unlimited (if stored properly)		



Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process