

[Go to Product page](#)

Datasheet for ABIN3125928

**USP27X Protein (AA 1-438) (Strep Tag)**

## Overview

Quantity:	1 mg
Target:	USP27X
Protein Characteristics:	AA 1-438
Origin:	Mouse
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This USP27X protein is labelled with Strep Tag.
Application:	ELISA, SDS-PAGE (SDS), Western Blotting (WB)

## Product Details

Sequence: MCKDYVYDID IEQIAKEEQG EALKLQASTS TEVSQQQCSV PGLGEKYPTW ETTKPELELL  
GHNPRRRRIA SSFTIGLRGL INLGNTCFMN CIVQALHTHP ILRDFFLSDR HRCEMPSPPEL  
CLVCEMSSLF RELYSGNPSP HVPYKLLHLV WIHARHLAGY RQQDAHEFLI AALDVLHRRHC  
KGDDVGKVAS NPNHCNCIID QIFTGGLQSD VTCQACHGVS TTIDPCWDIS LDLPGSCTSF  
WPMSPGRESS LNGESHPGI TTLTDCLRRF TRPEHLGSSA KIKCGSCQSY QESTKQLTMK  
KLPVVACFHF KRFEHSAKQR RKITTYISFP LELDMTPFMA SSKETRNVNGQ LQLPTNSANN  
ENKYSLFAVV NHQGTLES GH YTSFIRHHRD QWFKCDDAVI TKASIKDVLD SEG YLLFYHK  
QVLEPEPEKV KEMTPQAY

**Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.**

Characteristics:	Key Benefits:
------------------	---------------

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

### Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

### Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

---

### Purification:

Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):

1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.
2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

## Product Details

Purity:	≥ 80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Endotoxin Level:	Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)
Grade:	Crystallography grade

## Target Details

Target:	USP27X
Alternative Name:	Usp27x ( <a href="#">USP27X Products</a> )
Background:	<p>Ubiquitin carboxyl-terminal hydrolase 27 (EC 3.4.19.12) (Deubiquitinating enzyme 27) (Ubiquitin thioesterase 27) (Ubiquitin-specific-processing protease 27) (X-linked ubiquitin carboxyl-terminal hydrolase 27),FUNCTION: Deubiquitinase involved in innate antiviral immunity by mediating deubiquitination of CGAS and RIGI (PubMed:31534008). Negatively regulates RIGI by mediating 'Lys-63'-linked deubiquitination of RIGI, inhibiting type I interferon signaling (By similarity). Also regulates 'Lys-63'-linked ubiquitination level of MDA5/IFIH1 (By similarity). Acts as a positive regulator of the cGAS-STING pathway by catalyzing 'Lys-48'-linked deubiquitination of CGAS, thereby promoting its stabilization (PubMed:31534008). Can reduce the levels of BCL2L11/BIM ubiquitination and stabilize BCL2L11 in response to the RAF-MAPK-degradation signal (PubMed:27013495). By acting on BCL2L11 levels, may counteract the anti-apoptotic effects of MAPK activity (PubMed:27013495). {ECO:0000250 UniProtKB:A6NNY8, ECO:0000269 PubMed:27013495, ECO:0000269 PubMed:31534008}.</p>
Molecular Weight:	49.6 kDa
UniProt:	<a href="#">Q8CEG8</a>

## Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	<p>ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from <i>Nicotiana tabacum</i> c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.</p> <p>During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the</p>

Application Details

mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions: For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)