

Datasheet for ABIN3126684

TRIM29 Protein (AA 1-587) (Strep Tag)



[Go to Product page](#)

Overview

| | |
|-------------------------------|---|
| Quantity: | 250 µg |
| Target: | TRIM29 |
| Protein Characteristics: | AA 1-587 |
| Origin: | Mouse |
| Source: | Cell-free protein synthesis (CFPS) |
| Protein Type: | Recombinant |
| Purification tag / Conjugate: | This TRIM29 protein is labelled with Strep Tag. |
| Application: | ELISA, Western Blotting (WB), SDS-PAGE (SDS) |

Product Details

| | |
|-----------|--|
| Brand: | AliCE® |
| Sequence: | <p>MEGADACRSN GASPEARLTR SPPGPSGSLE NGTKADSKDT KTTNGHSGEV TEGKTLGSAL</p> <p>KSGEGKSGLF SSNEWRRPII QFVESVDDKG SSYFSMDSAE GRRSPYAGLQ LGASKKPPVT</p> <p>FAEKGELRKS IFSEPRKPTV TIVEPGEVRR NSYPRADSSL LARAKSGSEE VLCDSCIGNK</p> <p>QKAVKSCLVC QASFCEHLK PHLEGAAFRD HQLLEPIRDF EARKCPLHGK TMELFCQTDQ</p> <p>TCICYLCMFQ EHKNHSTVTV EEAKAEKETE LSLQKEQLQL KIIIEDDVE KWQKEKDRIK</p> <p>SFTTNEKAIL EQNFRDLVRE LEKQKEEVRA ALEQREQDAV DQVKVIVDAL DERAKVLHED</p> <p>KQTREQLHNI SDSVLFLQEF GALMSNYSLP PPLPTYHVLL EGEGLGQSLG NCKDDLNNVC</p> <p>MRHVEKMCKA DLSRNFIERN HMENGGDHRY MNSYTSSYGN EWSTPDTMKR YSMYLTPKGK</p> <p>GRTSYQPSSP SRLSKETNQK NFNNLYGPKG NYTSRVWEYT STVQNSDMP TVQGNSSFSL</p> <p>KGFPSSLRSQ VPKAQPQTKW SGKQTLLSHY RPFYVNKGSG IGSNEAP</p> |

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression

system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- We use the ExPASy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:

One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®).

Purity:

> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).

Grade:

custom-made

Target Details

| | |
|-------------------|--|
| Target: | TRIM29 |
| Alternative Name: | Trim29 (TRIM29 Products) |
| Background: | <p>Tripartite motif-containing protein 29,FUNCTION: Plays a crucial role in the regulation of macrophage activation in response to viral or bacterial infections within the respiratory tract. Mechanistically, TRIM29 interacts with IKBKG/NEMO in the lysosome where it induces its 'Lys-48' ubiquitination and subsequent degradation. In turn, the expression of type I interferons and the production of pro-inflammatory cytokines are inhibited. Additionally, induces the 'Lys-48' ubiquitination of STING1 in a similar way, leading to its degradation.</p> <p>{ECO:0000250 UniProtKB:Q14134}.</p> |
| Molecular Weight: | 65.8 kDa |
| UniProt: | Q8R2Q0 |
| Pathways: | p53 Signaling , Apoptosis , DNA Damage Repair , Inositol Metabolic Process , Positive Regulation of Response to DNA Damage Stimulus |

Application Details

| | |
|--------------------|--|
| Application Notes: | In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. |
| Comment: | <p>ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from <i>Nicotiana tabacum</i> c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.</p> <p>During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!</p> |
| Restrictions: | For Research Use only |

Handling

| | |
|---------|--------|
| Format: | Liquid |
|---------|--------|

Handling

| | |
|------------------|--|
| Buffer: | The buffer composition is at the discretion of the manufacturer. Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol Might differ depending on protein. |
| Handling Advice: | Avoid repeated freeze-thaw cycles. |
| Storage: | -80 °C |
| Storage Comment: | Store at -80°C. |
| Expiry Date: | 12 months |