

[Go to Product page](#)

Datasheet for ABIN3126709

FAM132A Protein (AA 22-308) (His tag)

Overview

Quantity:	1 mg
Target:	FAM132A
Protein Characteristics:	AA 22-308
Origin:	Mouse
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Purification tag / Conjugate:	This FAM132A protein is labelled with His tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB), ELISA, Crystallization (Crys)

Product Details

Sequence:	<p>RQELKKSRL FARVDSPNIT TSNREGFPGS VKPPEASGPE LSDAHMTWLN FVRRPDDGSS RKRCRGRDCK SRGLSGLPGP PGPPGPPGPP GSPGVGVTPPE ALLQEFQEIL KEATELRFSG LPDTLLPQEP SQRLVVEAFY CRLKGPVLVD KKTLVELQGF QAPTTQGAFL RGSGLSLSLG RFTAPVSAIF QFSASLHVDH SELQGRGRLR TRDMVRVLIC IESLCHRHTS LEAVSGLESN SRVFTVQVQG LLHLQSGQYV SVFVDNSSGA VLTIQNTSSF SGMLLGT</p> <p>Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.</p>
Characteristics:	<ul style="list-style-type: none">• Made in Germany - from design to production - by highly experienced protein experts.• Mouse Fam132a Protein (raised in E. Coli) purified by multi-step, protein-specific process to ensure crystallization grade.• State-of-the-art algorithm used for plasmid design (Gene synthesis). <p>This protein is a made to order protein and will be made for the first time for your order. Our</p>

Product Details

experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receipt of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the ExPASy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:	Two step purification of proteins expressed in bacterial culture: 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE. 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Sterility:	0.22 µm filtered
Endotoxin Level:	Endotoxin has not been removed. Please contact us if you require endotoxin removal.
Grade:	Crystallography grade

Target Details

Target:	FAM132A
Alternative Name:	Fam132a (FAM132A Products)
Background:	Insulin-sensitizing adipocyte-secreted protein (adipokine) that regulates glucose metabolism in liver and adipose tissue. Promotes glucose uptake in adipocytes and suppresses de novo

Target Details

glucose production in hepatocytes via the PI3K-Akt signaling pathway. Administration lead to reduction of blood glucose. Able to attenuate inflammation in fat tissue (PubMed:21849507, PubMed:22275362). {ECO:0000269|PubMed:21849507, ECO:0000269|PubMed:22275362}., Adipolin fCTRP12: Acts by activating the Akt signaling in hepatocytes and adipocytes. Not able to increase insulin-stimulated glucose uptake in adipocytes (PubMed:22942287). {ECO:0000269|PubMed:22942287}., Adipolin gCTRP12: Acts by activating the MAP kinase. Increases insulin-stimulated glucose uptake in adipocytes (PubMed:22942287). {ECO:0000269|PubMed:22942287}.

Molecular Weight: 32.0 kDa Including tag.

UniProt: [Q8R2Z0](#)

Application Details

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Comment: Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: Unlimited (if stored properly)