

Datasheet for ABIN3126879

Akr1c13 Protein (AA 1-323) (Strep Tag)



Go to Product page

()	ve	r\/i	Δ	۱۸/
\circ	V C	1 V		v v

Quantity:	1 mg
Target:	Akr1c13 (AKR1C13)
Protein Characteristics:	AA 1-323
Origin:	Mouse
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This Akr1c13 protein is labelled with Strep Tag.
Application:	ELISA, SDS-PAGE (SDS), Western Blotting (WB)

Product Details			
Brand:	AliCE®		
Sequence:	MSSKQHCVKL NDGHLIPALG FGTYKPKEVP KSKSLEAACL ALDVGYRHVD TAYAYQVEEE		
	IGQAIQSKIK AGVVKREDLF ITTKLWCTCF RPELVKPALE KSLKKLQLDY VDLYIMHYPV		
	PMKSGDNDFP VNEQGKSLLD TVDFCDTWER LEECKDAGLV KSIGVSNFNH RQLERILNKP		
	GLKYKPVCNQ VECHLYLNQR KLLDYCESKD IVLVAYGALG TQRYKEWVDQ NSPVLLNDPV		
	LCDVAKKNKR SPALIALRYL IQRGIVPLAQ SFKENEMREN LQVFGFQLSP EDMKTLDGLN		
	KNFRYLPAEF LVDHPEYPFV EEY		
	Sequence without tag. The proposed Strep-Tag is based on experience s with the expression		
	system, a different complexity of the protein could make another tag necessary. In case you		
	have a special request, please contact us.		
Characteristics:	Key Benefits:		

- Made in Germany from design to production by highly experienced protein experts.
- · Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- · State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- · We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:	One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®).	
Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).	
Grade:	custom-made	
Target Details		
Target:	Akr1c13 (AKR1C13)	

Target Details

rarget Details		
Alternative Name:	Akr1c13	
Background:	Aldo-keto reductase family 1 member C13 (EC 1.1.1), FUNCTION: Catalyzes the dehydrogenation of 17-beta-hydroxysteroids. May also exhibit significant activity with a variety of cyclic and alicyclic alcohols. Uses both NAD and NADP, but the activity is much greater with NAD than with NADP (By similarity). {ECO:0000250}.	
Molecular Weight:	37.1 kDa	
UniProt:	Q8VC28	
Application Details		
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.	
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	The buffer composition is at the discretion of the manufacturer. Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol Might differ depending on protein.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	-80 °C	
Storage Comment:	Store at -80°C.	

1.1	
Hand	lına
Hallu	III IY

Expiry Date:

12 months