

Datasheet for ABIN3127253

TTLL1 Protein (AA 1-423) (Strep Tag)



[Go to Product page](#)

Overview

Quantity:	250 µg
Target:	TTLL1
Protein Characteristics:	AA 1-423
Origin:	Mouse
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This TTLL1 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Product Details

Brand:	AliCE®
Sequence:	<p>MAGRVKWVTD IEKSVLINNF EKRGIQVTE NEDWNFYWMS VQTIRNVFSV ETGYRLSDDQ IVNHFPNHYE LTRKDLMVKN IKRYRKELEK EGSPLAEKDE NGKYLDFV PVTYMLPADY NLFVEEFRKS PSSTWIMKPC GKAQGGIFL INKLSQIKKW SRDSKTSSFV SQSTKEAYVI SVYINNPLLI GGRKFDLRLY VLVSTYRPLR CYMYKLGFCR FCTVKYTPST SELDNMFVHL TNVAIQKHGE DYNHIHGGKW TVNNLRLEYE STRGREVTSK LFDEIHWIIV QSLKAVAPVM NNDKHCFCFY GYDIIIDDKL KPWLIEVNAS PSLTSSTAND RILKYNLIND TLNIAVPNGE IPDCKWNKSP PKEVLGNYEI LYDEELAQGD GAERELRNP GQPVGPRAGR SRDSGRSVLT TWK</p> <p>Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.</p>
Characteristics:	Key Benefits:

Product Details

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:	One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®).
Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).
Grade:	custom-made

Target Details

Target:	TTLL1
---------	-------

Target Details

Alternative Name:	Ttl1 (TTLL1 Products)
Background:	<p>Polyglutamylase complex subunit TTLL1 (EC 6.3.2.-) (Tubulin polyglutamylase TTLL1) (Tubulin polyglutamylase complex subunit 3) (PGs3) (Tubulin-tyrosine ligase-like protein 1) (p49),FUNCTION: Catalytic subunit of a polyglutamylase complex which modifies tubulin, generating side chains of glutamate on the gamma-carboxyl group of specific glutamate residues within the C-terminal tail of tubulin (PubMed:15890843). Probably involved in the side-chain elongation step of the polyglutamylation reaction rather than the initiation step (Probable). Modifies both alpha- and beta-tubulins with a preference for the alpha-tail (PubMed:15890843, PubMed:22170066). Unlike most polyglutamylases of the tubulin-tyrosine ligase family, only displays a catalytic activity when in complex with other proteins as it is most likely lacking domains important for autonomous activity (PubMed:15890843). Part of the neuronal tubulin polyglutamylase complex (PubMed:15890843). Mediates cilia and flagella polyglutamylation which is essential for their biogenesis and motility (PubMed:20498047, PubMed:20442420, PubMed:23897886). Involved in respiratory motile cilia function through the regulation of beating asymmetry (PubMed:20498047, PubMed:20442420). Essential for sperm flagella biogenesis, motility and male fertility (PubMed:20442420). Also mediates glutamylation of non-tubulin proteins (PubMed:29593216). Involved in KLF4 glutamylation which impedes its ubiquitination, thereby leading to somatic cell reprogramming, pluripotency maintenance and embryogenesis (PubMed:29593216). {ECO:0000269 PubMed:15890843, ECO:0000269 PubMed:20442420, ECO:0000269 PubMed:20498047, ECO:0000269 PubMed:22170066, ECO:0000269 PubMed:23897886, ECO:0000269 PubMed:29593216, ECO:0000305 Ref.11}.</p>
Molecular Weight:	49.1 kDa
UniProt:	Q91V51

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	<p>ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from <i>Nicotiana tabacum</i> c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.</p> <p>During lysate production, the cell wall and other cellular components that are not required for</p>

Application Details

protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions: For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol Might differ depending on protein.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months