antibodies.com

Datasheet for ABIN3127338 TIPIN Protein (AA 1-278) (His tag)

Image



Overview

Quantity:	1 mg
Target:	TIPIN
Protein Characteristics:	AA 1-278
Origin:	Mouse
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Purification tag / Conjugate:	This TIPIN protein is labelled with His tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS), Crystallization (Crys)
Product Details	
Sequence:	MLEQEENGLF EIPDYEHVED ETFPPFPPPA SPERDPADAE PEEGSGSGVP VPPKRTVKRN
	LPKLDATRLT SERGLPALRH VFDKTKFKGK GHEAEDLKTL IRHMEHWAHR LFPKLQFEDF
	IDRVENLGNK KEVQTCLKRI RLDLPIVHED FVNNNDEVGE ANGPDVSATG FDPFLTSSSD
	SRKFASEPTR SLTEEQQQRI ERNKQLALER RQAKLLSNSQ SLENDVTVEE NSTGEDQEES
	NGLNIDTADG PHDVPFASTH EEEQCKAEET QLDHTNLD
	Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a
	special request, please contact us.
Characteristics:	 Made in Germany - from design to production - by highly experienced protein experts. Mouse Tipin Protein (raised in E. Coli) purified by multi-step, protein-specific process to ensure crystallization grade. State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made to order protein and will be made for the first time for your order. Our

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/4 | Product datasheet for ABIN3127338 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

	experts in the lab will ensure that you receive a correctly folded protein.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom
	made proteins from other companies is that there is no financial obligation in case the protein
	cannot be expressed or purified.
	In the unlikely event that the protein cannot be expressed or purified we do not charge anything
	(other companies might charge you for any performed steps in the expression process for
	custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression
	experiments or purification optimization).
	When you order this made-to-order protein you will only pay upon receival of the correctly
	folded protein. With no financial risk on your end you can rest assured that our experienced
	protein experts will do everything to make sure that you receive the protein you ordered.
	The concentration of our recombinant proteins is measured using the absorbance at 280nm.
	The protein's absorbance will be measured in several dilutions and is measured against its
	specific reference buffer.
	The concentration of the protein is calculated using its specific absorption coefficient. We use
	the Expasy's protparam tool to determine the absorption coefficient of each protein.
Purification:	Two step purification of proteins expressed in bacterial culture:
	 In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
	 Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Sterility:	0.22 μm filtered
Endotoxin Level:	Endotoxin has not been removed. Please contact us if you require endotoxin removal.
Grade:	Crystallography grade

Target Details

Target:	TIPIN
Alternative Name:	Tipin (TIPIN Products)
Background:	Plays an important role in the control of DNA replication and the maintenance of replication fork
	stability. Important for cell survival after DNA damage or replication stress. May be specifically

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/4 | Product datasheet for ABIN3127338 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

	required for the ATR-CHEK1 pathway in the replication checkpoint induced by hydroxyurea or
	ultraviolet light. Forms a complex with TIMELESS and this complex regulates DNA replication
	processes under both normal and stress conditions, stabilizes replication forks and influences
	both CHEK1 phosphorylation and the intra-S phase checkpoint in response to genotoxic stress.
	{EC0:0000269 PubMed:17141802}.
Molecular Weight:	32.5 kDa Including tag.
UniProt:	Q91WA1
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee

	though.
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the
	recombinant protein with the default tag will be insoluble our protein lab may suggest a higher
	molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible
	options with you in detail to assure that you receive your protein of interest.

Restrictions:

For Research Use only

Handling

Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)



Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 4/4 | Product datasheet for ABIN3127338 | 09/11/2023 | Copyright antibodies-online. All rights reserved.