

## Datasheet for ABIN3127430

# CYP2C50 Protein (AA 1-490) (Strep Tag)



Go to Product page

_				
	۱۱ / ۱	rv		۱۸/
	' V '	 ı v	Ι.	v v

Quantity:	1 mg
Target:	CYP2C50
Protein Characteristics:	AA 1-490
Origin:	Mouse
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This CYP2C50 protein is labelled with Strep Tag.
Application:	ELISA, SDS-PAGE (SDS), Western Blotting (WB)

, pp. 100 110 110 110 110 110 110 110 110 11	
Product Details	
Brand:	AliCE®
Sequence:	MDPILVLVFT LSCLFLLSLW RQSSERGKLP PGPTPLPIIG NILQINVKDI CQSFTNLSKV
	YGPVYTLYLG RKPTVVLHGY EAVKEALVDH GEEFAGRGRL PVFDKATNGM GIIFSKGNVW
	KNTRRFSLTT LRNLGMGKRS IEDRVQEEAR CLVEELRKTN GSPCDPTFIL GCAPCNVICS
	IIFQDRFDYK DRDFLNLMEK LNEITKIMST PWLQVCNTFP VLLDYCPGSH NKVFKNYACI
	KNFLLEKIKE HEESLDVTIP RDFIDYFLIN GGQENGNYPL KNRLEHLAIT VTDLFSAGTE
	TTSTTLRYAL LLLLKYPHVT AKVQEEIEHV IGKHRRPCMQ DRSHMPYTDA MIHEVQRFID
	LVPNSLPHEV TCDIKFRNYF IPKGTNVITS LSSVLRDSKE FPNPEKFDPG HFLDENGKFK
	KSDYFMPFST GKRICAGEGL ARMELFLFLT SILQNFNLKP LVHPKDIDVT PMLIGLASVP
	PAFQLCFIPS
	Sequence without tag. The proposed Strep-Tag is based on experience s with the expression
	system, a different complexity of the protein could make another tag necessary. In case you

#### have a special request, please contact us.

#### Characteristics:

### Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- · Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

#### Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
  protein production are removed, leaving only the protein production machinery and the
  mitochondria to drive the reaction. During our lysate completion steps, the additional
  components needed for protein production (amino acids, cofactors, etc.) are added to
  produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

### Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:	One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®).
Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).
Grade:	custom-made

## **Target Details**

larget Details			
Target:	CYP2C50		
Alternative Name:	Cyp2c50		
Background:	Cytochrome P450 2C50 (EC 1.14.14.1) (CYPIIC50),FUNCTION: Metabolizes arachidonic ac several midchain and omega-terminal hydroxyeicosatetraenoic acids (HETE). {ECO:0000269 PubMed:15102943}.		
Molecular Weight:	55.8 kDa		
UniProt:	Q91X77		
Application Details			
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.		
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.  During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Buffer:	The buffer composition is at the discretion of the manufacturer.  Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol <b>Might differ depending on protein.</b>		
Handling Advice:	Avoid repeated freeze-thaw cycles.		
Storage:	-80 °C		
Storage Comment:	Store at -80°C.		

1	1	l:
-	ココロロ	urnen
1	Hand	III IU

Expiry Date:

12 months