

Datasheet for ABIN3127654 TUBGCP2 Protein (AA 1-905) (Strep Tag)



Overview

| Quantity: | 250 µg |
|-------------------------------|--------------------------------------------------|
| Target: | TUBGCP2 |
| Protein Characteristics: | AA 1-905 |
| Origin: | Mouse |
| Source: | Cell-free protein synthesis (CFPS) |
| Protein Type: | Recombinant |
| Purification tag / Conjugate: | This TUBGCP2 protein is labelled with Strep Tag. |
| Application: | ELISA, SDS-PAGE (SDS), Western Blotting (WB) |

Product Details

| Brand: | AliCE® |
|-----------|-------------------------------------------------------------------|
| Sequence: | MSEFRIHHDV NELLSLLRIH GGDGAEVYID LLQKNRTPYV TTTVSAHSAK VKIAEFSRTP |
| | EDFLKKYDEL KSKNTRNLDP LVYLLSKLTE DKETLQFLQQ NAKERAELAA SAATSNTTSF |
| | SIPVAASKMS TQELEELRKQ LGSVSTGSTL QQSLELTRKM LRDKQNKKNS GQPLPVFPAW |
| | VYERPTLAGD FLIGSGLSSD TVLPIGTLPL ASQESAVVED LLYVLVGVDG RYITAQPLAG |
| | RQNRTFLVDP NLDLSIRELV NRILPVAASY STVTRFIEEK SSFEYGQVNH ALAAAMRTLV |
| | KEYLILVTQL EQLHRQGLLS LQKLWFYIQP AMRTIDILAS LATSVDKGEC VGGSTLSLLH |
| | DRSFNYTGDS QAQELCLYLT KAASAPYFEI LEKWIYRGII HDPYSEFMVE EHELRKEKIQ |
| | EDYNDKYWDQ RYTVLPQQIP SFLQKVAGKI LSTGKYLNVV RECGHDVTCP VAKEIIYTLK |
| | ERAYVEQIEK AFNYASKVLL DFLMEEKELV AHLRSIKRYF LMDQGDFFVH FMDLTEEELR |
| | KPVEDIILTR LEALLELALR MSTANTDPFK DDLKIELMPH DLITQLLRVL AIETKQEKAM |
| | THADPTELTL SGLEAFSFDY MVKWPLSLII NRKALTRYQM LFRHMFYCKH VERQLCSVWI |

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/4 | Product datasheet for ABIN3127654 | 02/26/2025 | Copyright antibodies-online. All rights reserved. SNKTAKQHAL HSAKWFAGAF TLRQRMLNFV QNIQYYMMFE VMEPTWHILE KNLKSASNID DVLGHHTSFL DNCLKDCMLT NPELLKVFSK LMSVCVMFTN CMQKFTQSMK LDSELGRLTL DQGSVQGPPT ETERIEDRPR KELTRKHLSE HVDAPQLASG FEATINNFDK NFSAHLLDLL ARLSVYSTSD CEHGMASVIS RLDFNGFYAE RLERLSAERS QKAAPQVPVP RGPSAPAPRV AIPAQ Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/4 | Product datasheet for ABIN3127654 | 02/26/2025 | Copyright antibodies-online. All rights reserved.

| System (AIICE®). Purity: > 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC). Grade: custom-made Target Details TUBGCP2 Atternative Name: TUBGCP2 Products) Background: Gamma-tubulin complex component 2 (GCP-2), FUNCTION: Gamma-tubulin complex is necessary for microtubule nucleation at the centrosome. Plays a role in neuronal migratic (ECO-0000250)UniProtKB-0985J2). Molecular Weight: 103.2 kDa UniProt: 0921G8 Pathways: M Phase, SARS-CoV-2 Protein Interactome Application Details In addition to the applications listed above we expect the protein to work for functional st as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Comment: ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained fro Nicotiana tabacum c.v This contains all the protein expression machinery needed to proceven the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not require protein production are removed, leaving only the protein production steps, the additional | Purification: | One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Grade: custom-made Target Details TUBGCP2 Atternative Name: Tubgcp2 (TUBGCP2 Products) Background: Gamma-tubulin complex component 2 (GCP-2),FUNCTION: Gamma-tubulin complex is necessary for microtubule nucleation at the centrosome. Plays a role in neuronal migratic (ECO.0000250)UniProtKB.Q9BSJ2). Molecular Weight: 103.2 kDa UniProt: Q92168 Pathways: M Phase, SARS-CoV-2 Protein Interactome Application Details In addition to the applications listed above we expect the protein to work for functional st as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Comment: ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained fro Nicotiana tabacum c.v This contains all the protein expression machinery needed to proceven the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional | Purmeation. | |
| Target Details Target: TUBGCP2 Alternative Name: Tubgcp2 (TUBGCP2 Products) Background: Gamma-tubulin complex component 2 (GCP-2),FUNCTION: Gamma-tubulin complex is necessary for microtubule nucleation at the centrosome. Plays a role in neuronal migratic (ECO:0000250)UniProtKB:Q9BSJ2). Molecular Weight: 103.2 kDa UniProt: 0921G8 Pathways: M Phase, SARS-CoV-2 Protein Interactome Application Details In addition to the applications listed above we expect the protein to work for functional st as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Comment: ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained fro Nicotiana tabacum c.v This contains all the protein expression machinery needed to procever the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional | Purity: | > 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC). |
| Target: TUBGCP2 Alternative Name: Tubgcp2 (TUBGCP2 Products) Background: Gamma-tubulin complex component 2 (GCP-2),FUNCTION: Gamma-tubulin complex is necessary for microtubule nucleation at the centrosome. Plays a role in neuronal migratic (ECO:0000250/UniProtKB:Q9BSJ2). Molecular Weight: 103.2 kDa UniProt: 092168 Pathways: M Phase, SARS-CoV-2 Protein Interactome Application Details In addition to the applications listed above we expect the protein to work for functional st as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Comment: ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained for Nicotiana tabacum c.v This contains all the protein expression machinery needed to proceven the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional | Grade: | custom-made |
| Alternative Name: Tubgcp2 (TUBGCP2 Products) Background: Gamma-tubulin complex component 2 (GCP-2),FUNCTION: Gamma-tubulin complex is necessary for microtubule nucleation at the centrosome. Plays a role in neuronal migratic (ECO.0000250)UniProtKB:Q9BSJ2). Molecular Weight: 103.2 kDa UniProt: Q92168 Pathways: M Phase, SARS-CoV-2 Protein Interactome Application Details In addition to the applications listed above we expect the protein to work for functional st as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Comment: ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained fro Nicotiana tabacum c.v This contains all the protein expression machinery needed to proceven the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional | Target Details | |
| Background: Gamma-tubulin complex component 2 (GCP-2),FUNCTION: Gamma-tubulin complex is necessary for microtubule nucleation at the centrosome. Plays a role in neuronal migratic (ECO:0000250 UniProtKB:Q9BSJ2). Molecular Weight: 103.2 kDa UniProt: Q921G8 Pathways: M Phase, SARS-CoV-2 Protein Interactome Application Details In addition to the applications listed above we expect the protein to work for functional st as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Comment: ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained fro Nicotiana tabacum c.v This contains all the protein expression machinery needed to proteven the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional | Target: | TUBGCP2 |
| necessary for microtubule nucleation at the centrosome. Plays a role in neuronal migratic (EC0:0000250 UniProtKB:Q9BSJ2). Molecular Weight: 103.2 kDa UniProt: Q921G8 Pathways: M Phase, SARS-CoV-2 Protein Interactome Application Details In addition to the applications listed above we expect the protein to work for functional st as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Comment: ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained fro Nicotiana tabacum c.v This contains all the protein expression machinery needed to proteive the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional | Alternative Name: | Tubgcp2 (TUBGCP2 Products) |
| UniProt: Q92168 Pathways: M Phase, SARS-CoV-2 Protein Interactome Application Details In addition to the applications listed above we expect the protein to work for functional st as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Comment: ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained fro Nicotiana tabacum c.v This contains all the protein expression machinery needed to proteive the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional | Background: | necessary for microtubule nucleation at the centrosome. Plays a role in neuronal migration. |
| Pathways: M Phase, SARS-CoV-2 Protein Interactome Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional st as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Comment: ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained fro Nicotiana tabacum c.v This contains all the protein expression machinery needed to pro- even the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional | Molecular Weight: | 103.2 kDa |
| Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional st as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Comment: ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained fro Nicotiana tabacum c.v This contains all the protein expression machinery needed to pro- even the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional | UniProt: | Q921G8 |
| Application Notes: In addition to the applications listed above we expect the protein to work for functional st as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Comment: ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained fro Nicotiana tabacum c.v This contains all the protein expression machinery needed to pro- even the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional | Pathways: | M Phase, SARS-CoV-2 Protein Interactome |
| as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Comment: ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained fro Nicotiana tabacum c.v This contains all the protein expression machinery needed to pro even the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional | Application Details | |
| Nicotiana tabacum c.v This contains all the protein expression machinery needed to pro- even the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional | Application Notes: | |
| something that functions like a cell, but without the constraints of a living system - all tha needed is the DNA that codes for the desired protein! | Comment: | During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's |
| Restrictions: For Research Use only | Restrictions: | For Research Use only |

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/4 | Product datasheet for ABIN3127654 | 02/26/2025 | Copyright antibodies-online. All rights reserved.

Handling

| Format: | Liquid |
|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Buffer: | The buffer composition is at the discretion of the manufacturer. Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol Might differ depending on protein. |
| Handling Advice: | Avoid repeated freeze-thaw cycles. |
| Storage: | -80 °C |
| Storage Comment: | Store at -80°C. |
| Expiry Date: | 12 months |