



[Go to Product page](#)

Datasheet for ABIN3127693  
**TRAF7 Protein (AA 1-594) (Strep Tag)**

### Overview

Quantity:	1 mg
Target:	TRAF7
Protein Characteristics:	AA 1-594
Origin:	Mouse
Source:	Tobacco ( <i>Nicotiana tabacum</i> )
Protein Type:	Recombinant
Purification tag / Conjugate:	This TRAF7 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

### Product Details

Sequence: MPPINTPRRS DSAISVRS LH SESSMSLRST FSLPEEEEEEP EPLVFAEQPS VKLCCQLCCS  
VFKDPVITTC GHTFCRRAL KSEKCPVDNA KLTVVVNNIA VAEQIGELFI HCRHGCHAAG  
TGKPGVFEVD PRGCPFTIKL SARKDHESSC DYRPVRC PNN PSCPPLLKMN LEAHLKECEH  
IKCPHSKYGC TFIGNQDYE THLET CRFEG LKEFLQQTDD RFHEMHVALA QKDQEIAFLR  
SMLGKLSEKI DQLEKSLELK FDVL DENQSK LSEDLMEFRR DASMLNDELS HINARLNMGI  
LGSYDPQQIF KCKGTFVGHQ GPVWCLCVYS MGDLLFSGSS DKTIKVWDTCTTYKCQKTLE  
GHDGIVLALC IQGCKLYSGS ADCTIIVWDI QNLQKVNTIR AHDNPVCTLV SSHNMLFSGS  
LKAIKVWDIV GTELK LKKE L TGLNHWVRAL VAAQSYLYSG SYQTIKIWDI RTLD CIHV LQ  
TSGGSVYSIA VTNHHIVCGT YENLIHWWDI ESKEQVRTLT GHVGTVYALA VISTPDQTKV  
FSASYDRSLR VWSMDNMICT QTL LRHQGSV TALAVSRGRL FSGAVDSTVK VWTC

**Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you**

### have a special request, please contact us.

---

#### Characteristics:

#### Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

#### Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

#### Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

---

#### Purification:

Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):

1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.

## Product Details

---

2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:  $\geq 80\%$  as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Endotoxin Level: Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)

## Target Details

---

Target: TRAF7

Alternative Name: Traf7 ([TRAF7 Products](#))

Background: E3 ubiquitin-protein ligase TRAF7 (EC 2.3.2.-) (EC 2.3.2.27) (RING-type E3 ubiquitin transferase TRAF7) (TNF receptor-associated factor 7),FUNCTION: E3 ubiquitin and SUMO-protein ligase that plays a role in different biological processes such as innate immunity, inflammation or apoptosis (PubMed:34953447, PubMed:16162816). Potentiates MAP3K3-mediated activation of the NF-kappa-B, JUN/AP1 and DDIT3 transcriptional regulators (By similarity). Negatively regulates MYB transcriptional activity by sequestering it to the cytosol via SUMOylation (PubMed:16162816). Plays a role in the phosphorylation of MAPK1 and/or MAPK3, probably via its interaction with MAP3K3. Negatively regulates RLR-mediated innate immunity by promoting 'Lys-48'-linked ubiquitination of TBK1 through its RING domain to inhibit the cellular antiviral response (By similarity). Promotes 'Lys-29'-linked polyubiquitination of NEMO/IKBKG and RELA leading to targeting these two proteins to lysosomal degradative pathways, reducing the transcriptional activity of NF-kappa-B (By similarity). {ECO:0000250|UniProtKB:Q6Q0C0, ECO:0000269|PubMed:16162816, ECO:0000269|PubMed:34953447}.

Molecular Weight: 66.5 kDa

UniProt: [Q922B6](#)

## Application Details

---

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Comment: ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational

## Application Details

---

modifications.

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

---

Restrictions: For Research Use only

## Handling

---

Format: Liquid

Buffer: The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: Unlimited (if stored properly)