antibodies

Datasheet for ABIN3127962 HSC70 Interacting Protein HIP Protein (AA 1-371) (His tag)



Overview

Image

Quantity:	1 mg
Target:	HSC70 Interacting Protein HIP (ST13)
Protein Characteristics:	AA 1-371
Origin:	Mouse
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Purification tag / Conjugate:	This HSC70 Interacting Protein HIP protein is labelled with His tag.
Application:	ELISA, SDS-PAGE (SDS), Western Blotting (WB), Crystallization (Crys)

Product Details

Sequence:	MDPRKVSELR AFVKMCRQDP SVLHTEEMRF LREWVESMGG KVPPATHKAK SEENTKEEKR
	DKTTEENIKT EELSSEESDL EIDNEGVIEP DTDAPQEMGD ENAEITEEMM DEANEKKGAA
	IEALNDGELQ KAIDLFTDAI KLNPRLAILY AKRASVFVKL QKPNAAIRDC DRAIEINPDS
	AQPYKWRGKA HRLLGHWEEA AHDLALACKL DYDEDASAML REVQPRAQKI AEHRRKYERK
	REEREIKERI ERVKKAREEH ERAQREEEAR RQSGSQYGSF PGGFPGGMPG NFPGGMPGMG
	GAMPGMAGMA GMPGLNEILS DPEVLAAMQD PEVMVAFQDV AQNPSNMSKY QSNPKVMNLI
	SKLSAKFGGQ S
	Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a
	special request, please contact us.
Characteristics:	 Made in Germany - from design to production - by highly experienced protein experts. Mouse St13 Protein (raised in E. Coli) purified by multi-step, protein-specific process to ensure crystallization grade.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/4 | Product datasheet for ABIN3127962 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

	State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made to order protein and will be made for the first time for your order. Our
	experts in the lab will ensure that you receive a correctly folded protein.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom
	made proteins from other companies is that there is no financial obligation in case the protein
	cannot be expressed or purified.
	In the unlikely event that the protein cannot be expressed or purified we do not charge anything
	(other companies might charge you for any performed steps in the expression process for
	custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression
	experiments or purification optimization).
	When you order this made-to-order protein you will only pay upon receival of the correctly
	folded protein. With no financial risk on your end you can rest assured that our experienced
	protein experts will do everything to make sure that you receive the protein you ordered.
	The concentration of our recombinant proteins is measured using the absorbance at 280nm.
	The protein's absorbance will be measured in several dilutions and is measured against its
	specific reference buffer.
	The concentration of the protein is calculated using its specific absorption coefficient. We use
	the Expasy's protparam tool to determine the absorption coefficient of each protein.
Purification:	Two step purification of proteins expressed in bacterial culture:
	1. In a first purification step, the protein is purified from the cleared cell lysate using three
	different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate
	fractions are analyzed by SDS-PAGE. 2. Protein containing fractions of the best purification are subjected to second purification step
	through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and
	Western blot.
Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Sterility:	0.22 µm filtered
Endotoxin Level:	Endotoxin has not been removed. Please contact us if you require endotoxin removal.
Grade:	Crystallography grade
Target Details	
Target:	HSC70 Interacting Protein HIP (ST13)
Alternative Name:	St13 (ST13 Products)

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/4 | Product datasheet for ABIN3127962 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

Target Details	
Background:	One HIP oligomer binds the ATPase domains of at least two HSC70 Molecules dependent on activation of the HSC70 ATPase by HSP40. Stabilizes the ADP state of HSC70 that has a high affinity for substrate protein. Through its own chaperone activity, it may contribute to the interaction of HSC70 with various target proteins (By similarity). {ECO:0000250}.
Molecular Weight:	42.6 kDa Including tag.
UniProt:	Q99L47
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)



Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 4/4 | Product datasheet for ABIN3127962 | 09/11/2023 | Copyright antibodies-online. All rights reserved.