
antibodies .- online.com





ARHGDIA Protein (AA 2-204) (His tag)



Go to Product page

()	11/0	K\ /	iew	1
	\cup	ועוי	$\square \vee \vee$	ı

Overview	
Quantity:	1 mg
Target:	ARHGDIA
Protein Characteristics:	AA 2-204
Origin:	Mouse
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Purification tag / Conjugate:	This ARHGDIA protein is labelled with His tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB), ELISA, Crystallization (Crys)
Product Details	
Sequence:	AEQEPTAEQL AQIAAENEED EHSVNYKPPA QKSIQEIQEL DKDDESLRKY KEALLGRVAV
	SADPNVPNVI VTRLTLVCST APGPLELDLT GDLESFKKQS FVLKEGVEYR IKISFRVNRE
	IVSGMKYIQH TYRKGVKIDK TDYMVGSYGP RAEEYEFLTP MEEAPKGMLA RGSYNIKSRF

SADPNVPNVI VTRLTLVCST APGPLELDLT GDLESFKKQS FVLKEGVEYR IKISFRVNRE
IVSGMKYIQH TYRKGVKIDK TDYMVGSYGP RAEEYEFLTP MEEAPKGMLA RGSYNIKSRF
TDDDKTDHLS WEWNLTIKKE WKD

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Mouse Arhgdia Protein (raised in E. Coli) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in bacterial culture:

- In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Endotoxin has not been removed. Please contact us if you require endotoxin removal.

Grade:

Crystallography grade

Target Details

Target:	ARHGDIA	
Alternative Name:	Arhgdia (ARHGDIA Products)	
Background:	Controls Rho proteins homeostasis. Regulates the GDP/GTP exchange reaction of the Rho	
	proteins by inhibiting the dissociation of GDP from them, and the subsequent binding of GTP to	
	them. Retains Rho proteins such as CDC42, RAC1 and RHOA in an inactive cytosolic pool,	

rarget Details	
	regulating their stability and protecting them from degradation. Actively involved in the recycling
	and distribution of activated Rho GTPases in the cell, mediates extraction from membranes of
	both inactive and activated molecules due its exceptionally high affinity for prenylated forms.
	Through the modulation of Rho proteins, may play a role in cell motility regulation. In glioma
	cells, inhibits cell migration and invasion by mediating the signals of SEMA5A and PLXNB3 that
	lead to inactivation of RAC1. {EC0:0000269 PubMed:19029984,
	ECO:0000269 PubMed:22628549, ECO:0000269 PubMed:23434736}.
Molecular Weight:	24.2 kDa Including tag.
UniProt:	Q99PT1
Pathways:	Neurotrophin Signaling Pathway
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee
	though.
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the
	recombinant protein with the default tag will be insoluble our protein lab may suggest a higher
	molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible
	options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.

-80 °C

Store at -80°C.

Unlimited (if stored properly)

Storage:

Expiry Date:

Storage Comment: