

## Datasheet for ABIN3128363

# DPPA5A Protein (AA 1-118) (Strep Tag)



#### Go to Product page

()	ve	r\/i		۱۸/
$\cup$	V C	1 / 1	$\overline{}$	٧V

Quantity:	1 mg
Target:	DPPA5A
Protein Characteristics:	AA 1-118
Origin:	Mouse
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This DPPA5A protein is labelled with Strep Tag.
Application:	ELISA, SDS-PAGE (SDS), Western Blotting (WB)

Purification tag / Conjugate:	This DPPA5A protein is labelled with Strep Tag.	
Application:	ELISA, SDS-PAGE (SDS), Western Blotting (WB)	
Product Details		
Brand:	AliCE®	
Sequence:	MMVTLVTRKD IPPWVKVPED LKDPEVFQVQ SLVLKYLFGP QGSRMSHIEQ VSQAMFELKN	
	LESPEELIEV FIYGSQNNKI RAKWMLQSMA ERYHLRQQKG VLKLEESMKT LELGQCIE	
	Sequence without tag. The proposed Strep-Tag is based on experience s with the expression	
	system, a different complexity of the protein could make another tag necessary. In case you	
	have a special request, please contact us.	
Characteristics:	Key Benefits:	
	Made in Germany - from design to production - by highly experienced protein experts.	
	<ul> <li>Protein expressed with ALiCE® and purified in one-step affinity chromatography</li> </ul>	
	These proteins are normally active (enzymatically functional) as our customers have	
	reported (not tested by us and not guaranteed).	
	State-of-the-art algorithm used for plasmid design (Gene synthesis).	

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

#### Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
  protein production are removed, leaving only the protein production machinery and the
  mitochondria to drive the reaction. During our lysate completion steps, the additional
  components needed for protein production (amino acids, cofactors, etc.) are added to
  produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

#### Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:	One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®).	
Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).	
Grade:	custom-made	
Target Details		
Target:	DPPA5A	

Target:	DPPA5A	
Alternative Name:	Dppa5a	
Background:	Developmental pluripotency-associated protein 5A (mDppa5) (ES cell-associated transcript 2 protein) (Embryonal stem cell-specific gene 1 protein) (ESG-1) (Protein pH 34),FUNCTION: Involved in the maintenance of embryonic stem (ES) cell pluripotency. Dispensable for self-	

### **Target Details**

renewal of pluripotent ES cells and establishment of germ cells. Associates with specific targer mRNAs. {ECO:0000269 PubMed:16504174}.	
13.8 kDa	
Q9CQS7	
In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.	
ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.  During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!	
For Research Use only	
Liquid	
The buffer composition is at the discretion of the manufacturer.  Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol <b>Might differ depending on protein.</b>	
Avoid repeated freeze-thaw cycles.	
-80 °C	
Store at -80°C.	
12 months	