



[Go to Product page](#)

Datasheet for ABIN3128565

IST1 Protein (AA 1-362) (Strep Tag)

Overview

Quantity:	1 mg
Target:	IST1
Protein Characteristics:	AA 1-362
Origin:	Mouse
Source:	Tobacco (<i>Nicotiana tabacum</i>)
Protein Type:	Recombinant
Purification tag / Conjugate:	This IST1 protein is labelled with Strep Tag.
Application:	ELISA, SDS-PAGE (SDS), Western Blotting (WB)

Product Details

Sequence: MLGSGFKAER LRVNLRVIN RLKLEKKKT ELAQKARKEI ADYLAAGKDE RARIRVEHII
REDYLVEAME ILELYCDLLL ARFGLIQSMK ELDSGLAESV STLIWAAPRL QSEVAELKIV
ADQLCAKYSK EYGKLCRTNQ IGTVNDRLMH KLSVEAPPKI LVERYLIEIA KNYNVYPYEPD
SVVMAEAPVG VETDLIDVGF TDDVKKGGPG RGGGGGFTAP VGGPDGIVPM PMPMPMPSPN
APFAYPLPKG PSDFSGLPVG TYQAFPNIHP PQIPATPPSY ESVDINGDK TVSSAQIVGP
KPEAPAKPPS RPYDNYNTFV LPELPSVPTD LPTASAGAST SASDIDFDD LSRRFEELKK KT

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics: Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALICE® and purified by multi-step, protein-specific process to ensure

correct folding and modification.

- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):

1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.
2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

≥ 80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Product Details

Endotoxin Level: Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)

Target Details

Target: IST1

Alternative Name: Ist1 ([IST1 Products](#))

Background: IST1 homolog (Charged multivesicular body protein 8) (CHMP8),FUNCTION: ESCRT-III-like protein involved in cytokinesis, nuclear envelope reassembly and endosomal tubulation (By similarity). Is required for efficient abscission during cytokinesis (By similarity). Involved in recruiting VPS4A and/or VPS4B to the midbody of dividing cells (By similarity). During late anaphase, involved in nuclear envelope reassembly and mitotic spindle disassembly together with the ESCRT-III complex: IST1 acts by mediating the recruitment of SPAST to the nuclear membrane, leading to microtubule severing (By similarity). Recruited to the reforming nuclear envelope (NE) during anaphase by LEMD2 (By similarity). Regulates early endosomal tubulation together with the ESCRT-III complex by mediating the recruitment of SPAST (By similarity). {ECO:0000250|UniProtKB:P53990}.

Molecular Weight: 39.5 kDa

UniProt: [Q9CX00](#)

Pathways: [Regulation of Cell Size](#)

Application Details

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Comment: ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Application Details

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: Unlimited (if stored properly)