
antibodies -online.com





SNF8 Protein (AA 1-258) (His tag)





Overview

Quantity:	1 mg
Target:	SNF8
Protein Characteristics:	AA 1-258
Origin:	Mouse
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Purification tag / Conjugate:	This SNF8 protein is labelled with His tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS), Crystallization (Crys)
Product Details	

Frotein Type.	Recombinant
Purification tag / Conjugate:	This SNF8 protein is labelled with His tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS), Crystallization (Crys)
Product Details	
Sequence:	MHRRGVGAGA IAKKKLAEAK YKERGTVLAE DQLAQMSKQL DMFKTNLEEF ASKHKQEIRK
	NPEFRVQFQD MCATIGVDPL ASGKGFWSEM LGVGDFYYEL GVQIIEVCLA LKHRNGGLIT
	LEELHQQVLK GRGKFAQDVS QDDLIRAIKK LKALGTGFGI IPVGGTYLIQ SVPAELNMDH
	TVVLQLAEKN GYVTVSEIKT SLKWETERAR QVLEHLLKEG LAWLDLQAPG EAHYWLPALF
	TDLYSQEISA EEAKEAFP
	Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a
	special request, please contact us.
Characteristics:	Made in Germany - from design to production - by highly experienced protein experts.
	Mouse Snf8 Protein (raised in E. Coli) purified by multi-step, protein-specific process to
	ensure crystallization grade.
	State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made to order protein and will be made for the first time for your order. Our

experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in bacterial culture:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 um filtered

Endotoxin Level:

Endotoxin has not been removed. Please contact us if you require endotoxin removal.

Grade:

Crystallography grade

Target Details

Target:	SNF8
Alternative Name:	Snf8 (SNF8 Products)
Background:	Component of the endosomal sorting complex required for transport II (ESCRT-II), which is
	required for multivesicular body (MVB) formation and sorting of endosomal cargo proteins into

MVBs. The MVB pathway mediates delivery of transmembrane proteins into the lumen of the lysosome for degradation. The ESCRT-II complex is probably involved in the recruitment of the ESCRT-III complex. The ESCRT-II complex may also play a role in transcription regulation by participating in derepression of transcription by RNA polymerase II, possibly via its interaction with ELL. Required for degradation of both endocytosed EGF and EGFR, but not for the EGFR ligand-mediated internalization. Required for the exosomal release of SDCBP, CD63 and syndecan (By similarity). {ECO:0000250|UniProtKB:Q96H20}.

Molecular Weight:

29.8 kDa Including tag.

UniProt:

Q9CZ28

Application Details

Application Notes:

In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.

Comment:

Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.

Restrictions:

For Research Use only

Unlimited (if stored properly)

Handling

Expiry Date:

Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufact Handling Advice: Avoid repeated freeze-thaw cycles. Storage: -80 °C	ormat:	
	uffer:	CL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Storage: -80 °C	andling Advice:	ed freeze-thaw cycles.
-	torage:	
Storage Comment: Store at -80°C.	torage Comment:	C.



Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process