
antibodies .- online.com





PLSCR3 Protein (AA 1-296) (rho-1D4 tag)





Go to Product page

()	ve	K\ /		
	\cup	1 V/	-	V۷

mg
LSCR3
A 1-296
louse
sect Cells
ecombinant
nis PLSCR3 protein is labelled with rho-1D4 tag.
estern Blotting (WB), SDS-PAGE (SDS), ELISA, Crystallization (Crys)
A Ic

Product Details

Sequer	nce:
--------	------

MAGYLPPKGY APSPPPPYPV PSGYPEPVAL HPGPGQAPVP TQVPAPAPGF ALFPSPGPVA PGPPAPFVPL PGVPPGLEFL VQIDQILIHQ KAERVETFLG WETCNMYELR SGTGQQLGQA AEESNCCARL CCGARRPFRI RLADPGDREV LRLLRPLHCG CSCCPCGLQE MEVQAPPGTT IGHVLQTWHP FLPKFSILDA DRQPVLRVVG PCWTCGCGTD TNFEVKTKDE SRSVGRISKQ WGGLLREALT DADDFGLQFP VDLDVKVKAV LLGATFLIDY MFFEKRGGAG PSAITS

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Mouse Plscr3 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our

experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Three step purification of membrane proteins expressed in baculovirus infected SF9 insect cells:

- 1. Membrane proteins are fractioned by ultracentrifugation and subsequently solubilized with different detergents (detergent screen). Samples are analyzed by Western blot.
- 2. The best performing detergent is used for solubilization and the proteins are purified via their rho1D4 tag via two rho1D4 antibody columns: one DTT resistant, the other one not. Eluate fractions are analyzed by Western blot.
- 3. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatograph. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity: >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility: 0.22 µm filtered

Protein is endotoxin-free.

Crystallography grade

Target Details

Endotoxin Level:

Grade:

Target: PLSCR3

Alternative Name: Plscr3 (PLSCR3 Products)

Target Details

rarger Betane			
Background:	May mediate accelerated ATP-independent bidirectional transbilayer migration of		
	phospholipids upon binding calcium ions that results in a loss of phospholipid asymmetry in		
	the plasma membrane. May play a central role in the initiation of fibrin clot formation, in the		
	activation of mast cells and in the recognition of apoptotic and injured cells by the		
	reticuloendothelial system. Seems to play a role in apoptosis, through translocation of		
	cardiolipin from the inner to the outer mitochondrial membrane which promotes BID		
	recruitment and enhances tBid-induced mitochondrial damages.		
	{ECO:0000269 PubMed:19428821}.		
Molecular Weight:	33.0 kDa Including tag.		
UniProt:	Q9JIZ9		
Pathways:	Cellular Response to Molecule of Bacterial Origin, Carbohydrate Homeostasis		
Application Details			
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies		
	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee		
	though.		
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the		
	recombinant protein with the default tag will be insoluble our protein lab may suggest a higher		
	molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible		
	options with you in detail to assure that you receive your protein of interest.		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.		
Handling Advice:	Avoid repeated freeze-thaw cycles.		
Storage:	-80 °C		
Storage Comment:	Store at -80°C.		
Expiry Date:	Unlimited (if stored properly)		



Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process