

# Datasheet for ABIN3130122 RPF2 Protein (AA 1-306) (Strep Tag)



_			
( )	V/C	rv	٨/

Quantity:	250 μg
Target:	RPF2
Protein Characteristics:	AA 1-306
Origin:	Mouse
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This RPF2 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Product Details	
Brand:	AliCE®
Sequence:	MDALDKVLKP KTKRAKRFLE KREPKLTENI KNAMLIKGGN ANATVTQVLR DMYALKKPYG
	VLYKKKNITR PFEDQTSLEF FSKKSDCSLF MFGSHNKKRP NNLVIGRMYD YHVLDMIELG
	IEKFVSLKDI KTSKCPEGTK PMLIFAGDDF DVTEDFRRLK NLLIDFFRGP TVSNVRLAGL
	EYVLHFTALN GKVYFRSYKL LLKKSGCRTP RIELEEMGPS LDLVMRRTHL ASDDLYKLSM
	KVPKALKPKK RKNISQDTFG TTFGRIHMQK QDLSKLQTRK MKGLKKRPAE NGVDDQGKKS
	KRIKKN
	Sequence without tag. The proposed Strep-Tag is based on experience s with the expression
	system, a different complexity of the protein could make another tag necessary. In case you
	have a special request, please contact us.
Characteristics:	Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- · Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- · State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

### Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
  protein production are removed, leaving only the protein production machinery and the
  mitochondria to drive the reaction. During our lysate completion steps, the additional
  components needed for protein production (amino acids, cofactors, etc.) are added to
  produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

#### Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- · We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:	One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®).
Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).
Grade:	custom-made
Target Details	
Target:	RPF2

## Target Details

rarget Details			
Alternative Name:	Rpf2 (RPF2 Products)		
Background:	Ribosome production factor 2 homolog (Brix domain-containing protein 1) (Ribosome		
	biogenesis protein RPF2 homolog), FUNCTION: Involved in ribosomal large subunit assembly.		
	May regulate the localization of the 5S RNP/5S ribonucleoprotein particle to the nucleolus.		
	{ECO:0000250 UniProtKB:Q9H7B2}.		
Molecular Weight:	35.4 kDa		
UniProt:	Q9JJ80		
Pathways:	Ribonucleoprotein Complex Subunit Organization, Ribosome Assembly		
Application Details			
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies		
	as well. As the protein has not been tested for functional studies yet we cannot offer a		
	guarantee though.		
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from		
	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce		
	even the most difficult-to-express proteins, including those that require post-translational		
	modifications.		
	During lysate production, the cell wall and other cellular components that are not required for		
	protein production are removed, leaving only the protein production machinery and the		
	mitochondria to drive the reaction. During our lysate completion steps, the additional		
	components needed for protein production (amino acids, cofactors, etc.) are added to produce		
	something that functions like a cell, but without the constraints of a living system - all that's		
	needed is the DNA that codes for the desired protein!		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Buffer:	The buffer composition is at the discretion of the manufacturer.		
	Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol Might differ depending on protein.		
Handling Advice:	Avoid repeated freeze-thaw cycles.		
Storage:	-80 °C		

# Handling

Storage Comment:	Store at -80°C.
Expiry Date:	12 months