antibodies

Datasheet for ABIN3130505 TMEM59 Protein (AA 36-238) (His tag)





Overview

Quantity:	1 mg
Target:	TMEM59
Protein Characteristics:	AA 36-238
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This TMEM59 protein is labelled with His tag.
Application:	ELISA, Western Blotting (WB), Crystallization (Crys), SDS-PAGE (SDS)
Product Details	
Sequence:	EAFDSVLGDT ASCHRACQLT YPLHTYPKEE ELYACQRGCR LFSICQFVDD GLDLNRTKLE
	CESACTEAYS QPDEQYACHL GCQDQLPFAE LRQEQLMSLM PRMHLLFPLT LVRSFWSDMM
	DSAQSFITSS WTFYLQADDG KIVIFQSKPE IQYAPQLEQE PTNLRESSLS KMSYLQMRNS

QAHRNYLEEE ESDGFLRCLS LNS

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
 - Mouse Tmem59 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
 - State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/4 | Product datasheet for ABIN3130505 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

Target:	TMEM59
Target Details	
Grade:	Crystallography grade
Endotoxin Level:	Protein is endotoxin free.
Sterility:	0.22 µm filtered
Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
r unneauon.	 In a first purification of protein's expressed in baculovinus infected SP9 insect cells. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
Purification:	Two step purification of proteins expressed in baculovirus infected SF9 insect cells:
	The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.
	specific reference buffer.
	The protein's absorbance will be measured in several dilutions and is measured against its
	protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm.
	folded protein. With no financial risk on your end you can rest assured that our experienced
	When you order this made-to-order protein you will only pay upon receival of the correctly
	experiments or purification optimization).
	custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression
	(other companies might charge you for any performed steps in the expression process for
	In the unlikely event that the protein cannot be expressed or purified we do not charge anything
	cannot be expressed or purified.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein

Alternative Name:	Tmem59 (TMEM59 Products)
Background:	Acts as a regulator of autophagy in response to S.aureus infection by promoting activation of
	LC3 (MAP1LC3A, MAP1LC3B or MAP1LC3C). Acts by interacting with ATG16L1, leading to
	promote a functional complex between LC3 and ATG16L1 and promoting LC3 lipidation and

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/4 | Product datasheet for ABIN3130505 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

Target Details

	subsequent activation of autophagy. Modulates the O-glycosylation and complex N-
	glycosylation steps occurring during the Golgi maturation of several proteins such as APP,
	BACE1, SEAP or PRNP. Inhibits APP transport to the cell surface and further shedding.
	{EC0:0000250 UniProtKB:Q9BXS4}.
Molecular Weight:	24.4 kDa Including tag.
UniProt:	Q9QY73
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee
	though.
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the
	recombinant protein with the default tag will be insoluble our protein lab may suggest a higher
	molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible
	options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)



Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 4/4 | Product datasheet for ABIN3130505 | 09/11/2023 | Copyright antibodies-online. All rights reserved.