

Datasheet for ABIN3130666

NLR Family, Pyrin Domain Containing 1B (NLRP1B) (AA 1-1177) protein (His tag)[Go to Product page](#)

1 Image

Overview

Quantity:	1 mg
Target:	NLR Family, Pyrin Domain Containing 1B (NLRP1B)
Protein Characteristics:	AA 1-1177
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	His tag
Application:	Crystallization (Crys), ELISA, SDS-PAGE (SDS), Western Blotting (WB)

Product Details

Sequence:	MEESQYKQEH NKKVAQDEGQ EDKDTIFETI EAIEAKLMEL KTNPESTFNY GIFPEVYMNQ GEEILYPAWS LKEENLFQTF KSLRLFQKLC PRGSGNLVKK SWYPCVPEEG GHIINIQDLF GPNIGTQKEP QLVIEGAAG IGKSTLARQV KRAWMEGELY RDHFQHVFFF SCRELAQCKK LSLAELITQG QDVPTAPINQ ILSHPEKLLF ILDGIDPAW VLADQNPELC LYWSQTQPVH TLLGSLGKS ILPEASFLT TRTTALQKFI PSLPQSCQVE VLGFSDFEQE IYIYKYFAKQ IFGIKALMMV ESNPVLLTLC EVPWVCWLVC NCLKKQMEQG GDVSLTSQTT TAICLKYISL TIPVHHMRTQ LRALCSLAAE GIWKRTLFS ESDLCKQGLD EDAVAIFLKT GVLQKQASSL SYSFAHLCLQ EFFASMSCIL EDSEERHGDM EMDRIVETLV ERYGRQNLFE APTVRFLFGL LSKEGLKEME KLFSCSLPGK TKLKLLWHIL GKSQPHQPPC LGLLHCLYEN QDMKLLTHVM HDLQGTIVPD TDDITHTVLQ TNVKHLVVRT DMELMVVTFQ IQFCSHMRSL QLNMEGQQGY ALTAPRMVLY RWTPITNASW KILFYNLKFN SNLEGLDLG NPLSYSQVQY LCDAMIYPGC QLKTLWLVEC GLTPTYCSLL ASVLSACSSL RELDLQLNDL CDDGVRMLCE GLRNRACNLR
-----------	--

ILRLDLYSLS AQVITELRTL EENNLKLHIS SIWMPQMMVP TENMDEEDIL TSFKQQRQQS
GANPMEILGT EEDFWGPIGP VATEVVYRER NLYRVQLPMA GSYHCPSTRL HFVVTRAVTI
EIEFCAWSQF LDKTPLQQSH MVVGPLFDIK AEQGAVTAVY LPHFVSLKDT KASTFDFKVA
HFQEHGMVLE TPDRVKPGYT VLKNPSFSPM GVVLRIPAA RHFIPITSIT LIYYRVNQEE
VTLHLYLVPN DCTIQKAIDD EEMKFQFVRI NKPPPVDNLF IGSRYIVSGS ENLEITPKEL
ELCYRSSKEF QLFSEIYVGN MGSEIKLQIK NKKHMKLIWE ALLKPGDLRP ALPRIAQUALK
DAPSLHFMD QHREQLVARV TSVDPLLDKL HGLVLNEESY EAVRAENTNQ DKMRKLFNLS
RSWSRACKDL FYQALKETHP HLVMDLLEKS GGVSLGS

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany - from design to production - by highly experienced protein experts.
- Mouse Nlrp1b Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receipt of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the ExPASy's protParam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.

Product Details

2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity: >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility: 0.22 µm filtered

Endotoxin Level: Protein is endotoxin free.

Grade: Crystallography grade

Target Details

Target: NLR Family, Pyrin Domain Containing 1B (NLRP1B)

Alternative Name: Nlrp1b ([NLRP1B Products](#))

Background: As the sensor component of the NLRP1 inflammasome, plays a crucial role in innate immunity and inflammation. In response to pathogens and other damage-associated signals, initiates the formation of the inflammasome polymeric complex, made of Nlrp1b, CASP1, and possibly PYCARD. Recruitment of proCASP1 to the inflammasome promotes its activation and CASP1-catalyzed IL1B and IL18 maturation and secretion in the extracellular milieu. Activation of NLRP1 inflammasome is also required for HMGB1 secretion. The active cytokines and HMGB1 stimulate inflammatory responses. Inflammasomes can also induce pyroptosis, an inflammatory form of programmed cell death (By similarity). May be activated by muramyl dipeptide (MDP), a fragment of bacterial peptidoglycan, in a NOD2-dependent manner (PubMed:18511561). Might be activated by Toxoplasma gondii, although at a lower extent than allele 1 (PubMed:24218483). Contrary to Nlrp1b allele 1, allele 2 is not activated by Bacillus anthracis lethal toxin (PubMed:16429160, PubMed:21170303, PubMed:24492532). {ECO:0000250|UniProtKB:Q2LKW6, ECO:0000269|PubMed:16429160, ECO:0000269|PubMed:18511561, ECO:0000269|PubMed:21170303, ECO:0000269|PubMed:24492532}.

Molecular Weight: 135.1 kDa Including tag.

UniProt: [A1Z198](#)

Application Details

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee

Application Details

	though.
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

Images



Image 1. „Crystallography Grade“ protein due to multi-step, protein-specific purification process