antibodies -online.com





PKD2L1 Protein (AA 1-760) (rho-1D4 tag)





Go to Product page

Overview

Quantity:	1 mg
Target:	PKD2L1
Protein Characteristics:	AA 1-760
Origin:	Mouse
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This PKD2L1 protein is labelled with rho-1D4 tag.
Application:	ELISA, Western Blotting (WB), Crystallization (Crys), SDS-PAGE (SDS)

Product Details

Sequence:

MNSMESPKNQ ELQTLGNRAW DNPAYSDPPS PNRTLRICTV SSVALPETQP KKPEVRCQEK
TQRTLVSSCC LHICRSIRGL WGTTLTENTA ENRELYVKTT LRELVVYIVF LVDICLLTYG
MTSSSAYYYT KVMSELFLHT PSDSGVSFQT ISSMSDFWDF AQGPLLDSLY WTKWYNNQSL
GRGSHSFIYY ENLLLGAPRL RQLRVRNDSC VVHEDFREDI LNCYDVYSPD KEDQLPFGPQ
NGTAWTYHSQ NELGGSSHWG RLTSYSGGGY YLDLPGSRQA SAEALQGLQE GLWLDRGTRV
VFIDFSVYNA NINLFCILRL VVEFPATGGT IPSWQIRTVK LIRYVNNWDF FIVGCEVVFC
VFIFYYVVEE ILEIHLHRLR YLSSVWNILD LVVILLSIVA VGFHIFRTLE VNRLMGKLLQ
QPDTYADFEF LAFWQTQYNN MNAVNLFFAW IKIFKYISFN KTMTQLSSTL ARCAKDILGF
AIMFFIVFFA YAQLGYLLFG TQVENFSTFV KCIFTQFRII LGDFDYNAID NANRILGPVY
FVTYVFFVFF VLLNMFLAII NDTYSEVKEE LAGQKDQLQL SDFLKQSYNK TLLRLRKE
RVSDVQKVLK GGEPEIQFED FTSTLRELGH EEHEITAAFT RFDQDGDHIL DEEEQEQMRQ
GLEEERVTLN AEIENLGRSV GHSPPGELGA EAARGQSWVS GEEFDMLTRR VLQLQCVLEG

VVSQIDAVGS KLKMLERKGE LAPSPGMGEP AVWENLYNPS

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Mouse Pkd2l1 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Three step purification of membrane proteins expressed in baculovirus infected SF9 insect cells:

- 1. Membrane proteins are fractioned by ultracentrifugation and subsequently solubilized with different detergents (detergent screen). Samples are analyzed by Western blot.
- 2. The best performing detergent is used for solubilization and the proteins are purified via their rho1D4 tag via two rho1D4 antibody columns: one DTT resistant, the other one not. Eluate fractions are analyzed by Western blot.
- 3. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatograph. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Product Details	
Endotoxin Level:	Protein is endotoxin-free.
Grade:	Crystallography grade
Target Details	
Target:	PKD2L1
Alternative Name:	Pkd2l1 (PKD2L1 Products)
Background: Molecular Weight:	Pore-forming subunit of a ciliary calcium channel that controls calcium concentration within primary cilia without affecting cytoplasmic calcium concentration. Forms a heterodimer with PKD1L1 in primary cilia and forms a calcium-permeant ciliary channel that regulates sonic hedgehog/SHH signaling and GLI2 transcription. May act as a sour taste receptor by forming a calcium channel with PKD1L3 in gustatory cells, however, its contribution to sour taste perception is unclear in vivo and may be indirect. May play a role in the perception of carbonation taste. {ECO:0000269 PubMed:15548533, ECO:0000269 PubMed:16891422, ECO:0000269 PubMed:16929298, ECO:0000269 PubMed:19833970, ECO:0000269 PubMed:21098668, ECO:0000269 PubMed:21625513, ECO:0000269 PubMed:24336288, ECO:0000269 PubMed:24336289}.
UniProt:	A2A259
Application Details Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.
Comment:	Protein has not been tested for activity yet. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.

Handling

Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

Images




Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process