Datasheet for ABIN3130924

DPY19L1 Protein (AA 1-746) (Strep Tag)

Go to Product page

Overview

Quantity:	1 mg
Target:	DPY19L1
Protein Characteristics:	AA 1-746
Origin:	Mouse
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This DPY19L1 protein is labelled with Strep Tag.
Application:	ELISA, SDS-PAGE (SDS), Western Blotting (WB)

Product Details

Sequence:	MVLQARSKHR DAAPRPPRSA RSSPPPLSGA SEVDAGELGS ERTPPSPGRR GAAGRKGPRA GTAAPAPDGL AGRLAAGLHW ALGLRRGRGR TWSTLLLASF AALLHWSHIT HLFENDRHFS HLSTLEREMA FRTEMGLYYS YFKTIVEAPS FLNGVWMIMN DKLTEYPLVI NTLKRFNLYP EVILASWYRI YTKIMDLIGI QTKICWTVTR GEGLSPIESC EGLGDPACFY VAVIFMLNGL MMALFFIYGT YLSGSRLGGV VTVLCFFFNH GECTRVMWTP PLRESFSYPF LVLQMLLVTH ILRAPELCRG SLIALCISNV LFMLPWQFAQ FVLLTQIASL FAVYVVGYID THKLQKIIYM HMISLVLCFV LMFGNSMLLT SYYASSLVII WGMLAMKPQF LRMNVSELSL WVIQGCGWLF GTVILKSVTS RIFGIADDAH IGNLLTSKFF SYKDFDTLLY TCAAEFDFME KETPLRYTKT LLLPVVLVTV AAIVRKIFND MRGVVAKQRT HTRKQQFEHG ELVYHALQLL AYTALGVLIM RLKLFLTPHM CVMASLICSR QLFGWLFGKV HPGAVVFAIL AAMSIQGSAN LQTQWNIVGE FSNLPQEELI EWIRYSTKPD AVFAGAMPTM ASVKLSALRP VVNHPHYEDA GLRARTKIVY SMYSRKAPED VKKELMKLKV NYYILEESWC IRRSKPGCSM PEIWDVEDPD NAGKTPLCNI

LVKDSKPHFT TVFQNSVYKV LEVLRQ

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification: One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®).

Purity: > 80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).

Target Details

Target:	DPY19L1
Alternative Name:	Dpy19l1 (DPY19L1 Products)
Background:	Protein C-mannosyl-transferase DPY19L1 (EC 2.4.1.-) (Dpy-19-like protein 1) (Protein dpy-19 homolog 1),FUNCTION: C-mannosyltransferase that mediates the C-mannosylation tryptophan residues on target proteins. The reaction occurs on the luminal side of the endoplasmic reticulum and involves the transfer of a mannose unit from a dolichylphosphate mannose (Dol-P-Man) donor to an acceptor protein containing a WxxW consensus sequence (PubMed:28202721). C-mannosylates the first two tryptophans in the WxxWxxWxxC sequence motif in thrombospondin (TSP) type-1 repeats of UNC5A (PubMed:28202721). Regulates neurite extension during development (PubMed:27959946, PubMed:28202721). {ECO:0000269|PubMed:27959946, ECO:0000269|PubMed:28202721}.
Molecular Weight:	84.2 kDa
UniProt:	A6X919
Pathways:	SARS-CoV-2 Protein Interactome

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!
Restrictions:	For Research Use only

Copyright antibodies-online. All rights reserved.

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

 Copyright antibodies-online. All rights reserved.