

Datasheet for ABIN3131014

OTUD4 Protein (AA 1-1107) (Strep Tag)



Go to Product page

Overview

Quantity:	1 mg
Target:	OTUD4
Protein Characteristics:	AA 1-1107
Origin:	Mouse
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This OTUD4 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Product Details

Sequence:

MEAAVGAPDG VDQGGVGPLE DETPMDAYLR KLGLYRKLVA KDGSCLFRAV AEQVLHSQSR HVEVRMACIR YLRENREKFE AFIEGSFEEY LKRLENPQEW VGQVEISALS LMYRKDFVIY QEPNVSPSHV TENNFPEKVL LCFSNGNHYD IVYPITYKDS SAMCQSLLYE LLYEKVFKTD VSKIMMGLEA SEVAEESNSE ISDSEDDSCK SKSTAATDVN GFKPSGSENP KNNGNSADLP LSRKVLKSLN PAVYRNVEYE IWLKSKQAQQ KRDYSIAAGL QYEVGDKCHQ VRLDHNGKLS NADIHGVHSE NGLVLSEELG KKHTPKNLKP PPPESWNTVS GKKMKKPNSG QNFHSDTDYR GPKNLNKPIK APSALPPRLQ HPSSGVRQHA FSSHSTGSQS QKSSSEHKNL SRMPSQITRK PDRERAEDFD HVSRESYYFG LSPEERREKQ AIEESRLLYE IQNRDEQAFP ALSSSSVSQS PSQNSNACVP RKSSHARDRK GSMRRADAEE RKDKDSLRGH THVDKKPEPS TLEISDDKCT RVSSPSKSKK ECPSPVEQKP AEHIPLSNPA PLLVSPEVHL TPAVPSLPAT VPAWPSEPTT FGPTGVPAQI PILSVTQTTG PDAAVSQAHL TPSPVPVSIQ AVNQPLMPLP QTMSLYQDPL YPGFPCSEKG DRAIAPPYSL CQTGEDLPKD KNILRFFFNL GVKAYSCPMW APHSYLYPLH

QAYMAACRMY PKVPVPVYPQ NTWFQEAPPA QSESDCPCTD AHYSLHPEAS VNGQMPQAEM GPPAFASPLV IPPSQVSEGH GQLSYQPELE SENPGQLLHA EYEESLSGKN MYPQQSFGPN PFLGPVPIAP PFFPHVWYGY PFQGFVENPV MRQNIVLPPD DKGELDLPLE NLDLSKECDS VSAVDEFPDA RVEGAHSLSA ASVSSKHEGR VEQSSQTRKA DIDLASGSSA VEGKGHPPTQ ILNREREPGS AEPEPKRTIQ SLKEKPEKVK DPKTAADVVS PGANSVDRLQ RPKEESSEDE NEVSNILRSG RSKQFYNQTY GSRKYKSDWG SSGRGGYQHV RGEESWKGQP NRSRDEGYQY HRHVRGRPYR GDRRRSGMGD GHRGOHT

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- · Made in Germany from design to production by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):

- 1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

Target

≥ 80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Endotoxin Level:

Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)

OTI ID4

Target Details

rarget:	01004
Alternative Name:	Otud4 (OTUD4 Products)
Background:	OTU domain-containing protein 4 (EC 3.4.19.12),FUNCTION: Deubiquitinase which hydrolyzes
	the isopeptide bond between the ubiquitin C-terminus and the lysine epsilon-amino group of the
	target protein. May negatively regulate inflammatory and pathogen recognition signaling in
	innate immune response. Upon phosphorylation at Ser-202 and Ser-204 residues, via IL-1
	receptor and Toll-like receptor signaling pathway, specifically deubiquitinates 'Lys-63'-
	polyubiquitinated MYD88 adapter protein triggering down-regulation of NF-kappa-B-dependent
	transcription of inflammatory mediators (PubMed:29395066). Independently of the catalytic
	activity, acts as a scaffold for alternative deubiquitinases to assemble specific deubiquitinase-
	substrate complexes. Associates with USP7 and USP9X deubiquitinases to stabilize alkylation
	repair enzyme ALKBH3, thereby promoting the repair of alkylated DNA lesions (By similarity).
	{ECO:0000250 UniProtKB:Q01804, ECO:0000269 PubMed:29395066}.
Molecular Weight:	123.1 kDa
UniProt:	B2RRE7

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required for
	protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)